

# A Security Framework for IOT based Smart Home Automation System

Nazmul Hossain<sup>1</sup>, Md. Alam Hossain<sup>2</sup>, Rafia Sultana<sup>3</sup> and Farzana Akter Lima<sup>4</sup>

1

*Received: 9 December 2017 Accepted: 1 January 2018 Published: 15 January 2018*

---

## Abstract

The Internet of Things (IoT) is a new platform for our technology. Though of IOT, we can control our daily life work such as home application, control, and easy communication systems, improve our digital services, etc. The Internet of Things (IoT) is joining our daily contents information wisely to the internet to make communication between objects and people and among themselves. In this paper, we show improved home automation with the help of IoT. For calculating response time of IoT, we need fog computing platform. Fog computing is also known as fogging or edge computing which is built by Cisco and it is extended the version of cloud computing through a network. In our proposed system, we use the motion sensor, SBC-PT which is a network access component and daily life component in a home. We can monitor and control that equipment by the approach of IOT based system. The home automation system uses the portable devices as a user interface. They can connect with home automation network through an internet approach. The user will move straightly with the system via control interface whereas home apparatus is remotely controlled through sensor and server.

---

*Index terms*— IOT, home automation, smart home, response time, control system.

## 1 A Security Framework for IOT based Smart Home Automation System

Nazmul Hossain<sup>1</sup>, Md. Alam Hossain<sup>2</sup>, Rafia Sultana<sup>3</sup> & Farzana Akter Lima<sup>4</sup> Abstract-The Internet of Things (IoT) is a new platform for our technology. Though of IOT, we can control our daily life work such as home application, control, and easy communication systems, improve our digital services, etc. The Internet of Things (IoT) is joining our daily contents information wisely to the internet to make communication between objects and people and among themselves. In this paper, we show improved home automation with the help of IoT. For calculating response time of IoT, we need fog computing platform. Fog computing is also known as fogging or edge computing which is built by Cisco and it is extended the version of cloud computing through a network.

In our proposed system, we use the motion sensor, SBC-PT which is a network access component and daily life component in a home. We can monitor and control that equipment by the approach of IOT based system. The home Introduction ome automation also known as an intellectual home system. Numerous people often and often shift from one place to another for their business purpose, personal work, traveling, etc. [1]. So that kind of people leaves their home without checking their household component. That's why they need to exhort and control their things. In this situation, we needed smart home automation. Intellectual home system makes with a network, monitoring instrument and home ingredients [2].

In modern time we use this system for controlling our home automatically. This system raises the alleviation of our home equipment. Equipment that we use in our system is light, door, fan, window, motion detector,

webcam, lawn sprinkler, etc. [3]. If the system built in the home, we will control the home things virtually. For controlling the system, we need not to present physically at home.

To implement a smart home system, we need to control centrally. To save the information centrally, we employ fog computing in exchange for cloud computing. Fog computing minimizes the bandwidth and low latency, because cloud computing is not stable for numerous IOT use [4]. Though this computing system, we can easily connect between sensors and IoT device.

In this paper, we proposed an approach to improve home automation system. At first, we discuss IOT, then our proposed system through Cisco and why we use home automation. Finally, we discuss the goals of our works.

## 2 a) Benefits of Home Automation System

? Monitoring and ruling all home devices from one space. ? Progressed home security.

? Improved energy efficiency.

? Save time.

? Save money and utilizes suitability.

? Remote control of home objects.

? Ease to use components of a home.

? Prick detection, CO and smoke detectors.

? Governing house peoples activities.

? After all increasing peace of mind.

IoT means a world-wide network of interconnected things that are incomparable. An advanced network of IoT is being created, when a public wants to associate with different objects. IoTs terminology is applied for the enhancement of intelligent houses to increase the surviving formats of life [5]. It proposed leading connectivity among services, apparatus, and systems. It uniquely identifies not only attached computing system but also internally handle existing internet architecture [6]. It gives us strong-level facility at the communication and knowledge.

There are three main natures in IoT ecosystems: consumers, governments, and businesses purposes [7]. IoT platforms act as the bridge between the devices, sensors and the data networks. IoT safety and privacy have become the major worry among consumers and businesses [8].

## 3 II.

IoT Based Home Automation a) Some Advantages of IoT ? Control and automation of any system.

? Cost-reducing and power expense.

? Easy to communicate with our daily life things.

The fact is that the IoT permits for virtually bondless advantages and connections to accept the position. Most of us can't even imagine and understand the impact of today's issues. Security is a major challenge that is again and again brought up. We have the missions of security and data sharing. IoT is a hotbutton matter withal today, so one can barely think how the speech and anxiety will step by step increasing when people are discussing billions of devices being appended [9].

Home automation is made of one or spare computers to manage basic home activities and form deliberately and sometimes remotely [10]. An automated home is also called an intellectual home. For connecting home objects through the internet, we need a platform that is known as Internet of Things (IoT) [11]. We use IoT because it provides our surrounding objects to append Internet easily. IoT devices that are peer to the Internet will more than triple in 2020.

## 4 b) Future of IoT

? In the next five years almost 6 trillion IoT's objects connected to the Internet. ? Businesses will be the bearer of IoT solutions cause of IoT's behavior and those are cheaper operating costs, raising productivity and prolong to current markets or spread new manufacture oblotion. ? The complicated infrastructure of the Internet of Things exuded into individual ecosystem. ? The profuse extensive staving to the benefits and drawbacks of fake cellular and internet networks. ? The major role of analytics processes, along edge analytics, cloud analytics, fog analytics will perform in building the most of IoT sending. ? The skate privacy challenges submitted by the IoT and that defeated. ? Upcoming IoT's infrastructures are connectivity, security, data storage, system integration, device hardware, and application development. ? In-complex analysis the IOT ecosystem will alternative and in several industries.

## 5 III.

Background and Related Work

The smart house was concepts, not real form. Though home materials were not suspect as smart in the early twentieth century (1901) (1902) (1903) (1904) (1905) (1906) (1907) (1908) (1909) (1910) (1911) (1912) (1913) (1914) (1915) (1916) (1917) (1918) (1919) (1920). The first enginepower vacuum cleaner invented in 1901, and the electricity-power vacuum invented in 1907. The ECHO 4 was the fundamental smart machine, but it was not vending in the market in the year of 1966-1967. In the year of 1990s, this home

---

101 automation department reached some new experiment and processing. Smart house become exoteric in the early  
102 century 2000s, and various terms began to arise [12]. Suddenly in this century, smart homes ripen affordable  
103 choice for people [13]. Now we can control home by a remote server or any wireless component such as a laptop,  
104 Wi-Fi, mobile phone, tabs, sensing from any sensor [14].

105 To implement the automation system of functionality and comfortably, we designed a standalone, liberal,  
106 melodious and cheap cost home monitoring and controlling system using sensor service. This work is implemented  
107 to retire the troubles of existing methods. It bears much resilience, consolation potentiality and security.

108 This paper proposes a smart home automation system that services the segregation of objects that connected  
109 through the motion sensor, fog computing, server and switch connection among things. This system uses a laptop  
110 to monitor the home components. The main object of this paper is to operate household components by sensing  
111 the motion sensor. When the sensor detects motion, then those components are automatically turned ON/OFF.  
112 We can also turn ON/OFF that objects through server if we want. This system is useful from other systems,  
113 because when the motion sensor is sensing objects in that time, they are instinctively changed their state. After  
114 a lag time sensing, components go back to their previous state. This process happens back and forth.

## 115 6 IV.

## 116 7 Proposed System Framework a) System Description

117 Signal Board Computers (SBC-PT) is one kind of network access component. In that component, we will connect  
118 motion sensor and others household objects like as door, fan, light, window, etc. Sensors are necessary to gain  
119 real-time data from things. These sensors rapidly create a huge volume of data. The main thing is to make a  
120 home automation system based on the Internet of Things idea composed of a main controlling instrument and all  
121 objects connected to the sensors. In SBC board we will describe the system configuration for detecting the motion  
122 sensor. While a man enters in the automated room, a motion creates in this stage, so the sensor is alarmed for  
123 obtaining products activation. When it finds out any motion, then automatically all the objects turned ON/OFF.  
124 Whereas the sensor will rotate ON it shows high input after finishing its delay (1000ms) time it naturally closed  
125 OFF. This process happened continuously until motion object present in the existing home. When sensor finds  
126 out any motion then automatically all the objects turned ON/OFF. Whereas the sensor will rotate ON it shows  
127 high input after finishing its delay (1000ms) time it naturally closed OFF. This process happened continuously  
128 until motion object present in the existing home.

## 129 8 b) Proposed System Functions

130 The proposed home automation system has the abilities to observe the following objects in users home and  
131 monitor the following activities: ? Light ON/OFF ? Fan ON/OFF ? Door ON/OFF ? Window ON/OFF ?  
132 Webcam/CC-Camera ON/OFF ? Fire-Alarm/Sprinkler ON/OFF.

133 The goal of the proposed work is not to formless costly objects such as high-end own computers. This scheme  
134 allows approved hose masters to control and monitor associated instruments at home. The smart home must  
135 complete essential condition, processed data and consoling equipment to create a better home automation system.  
136 V.

## 137 9 Analysis of Proposed Framework a) Software Design

138 For implementing the proposed system in virtually here, we will use Cisco Packet Tracer. It is very helpful to  
139 design IoT components. Here we use Server-PT, Switch-2960, Laptop-PT, SBC-PT, Motion Sensor and other  
140 IoT components. Steps that we will do in the simulation are:

141 ? First, we connect server, laptop, and several IoT objects through Copper Straight cable. ? Setup server IP  
142 address for accessing the components. ? For controlling devices through laptop also need to configure laptop's  
143 IP address. ? Then we configure all IoT components uniquely.

144 ? For Signing up to the web browser, we set a username and password. This password is used for login into  
145 the server access. ? When we go to the web page for login to the remote server, then put server IP address into  
146 the URL box, and next ask to input username and password. If we input correct information, then login to the  
147 server. ? Next turn on the Registration server.

148 ? Connect all components to the Registration Server.

149 ? For SBC-PT connection we use IoT Custom Cable.

150 ? Finally, we will join our proposed system with the server simulation. ? For connecting to the Registration  
151 Server, we go to the IoT accessories configuration then turn on the Remote Server option and put Registration  
152 Server's IP address, username, and password. Do that process for all IoT components. ? If we want to control  
153 home automation things through remote laptop, then put IP address, username, and password for turn ON/OFF  
154 the objects.

### 10 b) Security Issues

When motion detected, it will process its work. But its sometimes create a problem because when any unwanted people such as thief, abductor, robber enter the room then its hamper our actual action. So that we need to, trace out home living people. For that, we

### 11 Global Journal of Computer Science and Technology

Volume XVIII Issue III Version I 11 Year 2018 ( ) invent a way to discover original living people [15]. In this purpose to identify wanted people, we will use Eye Retina Scan. It is feasible because no two people have the similar retinal pattern. Exceptionally it has low negative effect rates for detecting [16].

It recognizes the objects very quickly. While any staying people enter the room, the home automation system first configure with unique patterns of a person's retina blood vessel. It releases a stealthy beam of lowenergy infrared light into a person's eye. So when retina scan matched successfully to the sensor and gave positive output, then the motion sensor start its process to serve to the user requirements. This method provides a high-security system for our home automation actions. Here a flow chart for our proposed design:

### 12 c) Future Work


In the 21st century, the communication among social and computer is splitting aged obstacle and starting a new kingdom [17]. Nowadays mobile phone or computer is an important part of our modern life. Mobile phone or computer is not only a material for communication but also tries to give us better control for automated home [18]. There are some existing home automation systems which are built with real instruments of our house. This equipment is monitored through switches. The engine is switched ON/OFF manually when it is necessary. The existing method is not highly protected and misuse of electricity. The proposed system is better and more secure than the existing system. And the system is also imagined networking in our mobile phone to all the things through smart technology [19]. In the proposed system, all the house appliances could be monitored by the owner from a remote area with the favor of user's mobile phone or computer through a network.

In this paper, the implemented system's that is connect all the devices with the sensors and the automated home is controlled by the controller. But there is some lacking in the other existing system. The main lacking is in the security portion. The security is a little bit weak in that observed process. In our home automation system, there are huge benefits than the other systems. Our system controls all the instruments of our house through mobile phones or computers. And the control system is simpler than the others. The system we build there is no lacking in security because we improved the security system of our proposed system. Our system is much secure than the others because here we use identical eye retina scan pattern for professed sensor's response which will detect the owner of that home.

### 13 VII.


### 14 Conclusion

The home automation system is one of the most important sectors of the Internet of Things (IoT). In this paper, the home automation using the Internet of Things (IoT) proved that it has been worked favorably by joining simple equipment to it, and the appliances were practically monitored remotely through the internet. As one of the request state in the Internet of Things, the smart house appeals the most effort from the market. The process is preferable for real-time home security controlled and maintaining from fire accidents with quick solution. The system gives us better-secured home and controlled theft issues in our house. The proposed system consult the sensor data like temperature, motion, gas, light sensors, and activates a scheme following the necessity [20]. This process will explore different situation to control the home anytime anywhere. In this process, the sensors can be performed to save data that can examine the process. The modern home system utilizes that the users controlled the central control for all of their materials. In our system, we build a new technology to create an excellent automated home system which is more useful and more secure in our regular advanced life. And the smart house process is monitored with our mobile phones and computers, and it is to handle our busy lifestyle. <sup>1</sup>




1

Figure 1: Fig. 1 :



2

Figure 2: Fig. 2 :



3

Figure 3: Fig. 3 :

- 
- 200 [Zhamanov] , A Zhamanov .
- 201 [Sakhiyeva; R and Suliyev] , Z Sakhiyeva; R , Suliyev .
- 202 [Chan et al. (2008)] ‘A review of smart homes-Present state and future challenges’. M Chan , C Estève , Escriba  
203 , Campo . *Computer Methods and Programs in Biomedicine* July 2008. 91 (1) p. .
- 204 [Shrobe et al. ()] ‘CHAPTER 13 Data Security and Privacy in the Age of IoT’. H Shrobe , D L Shrier , A  
205 Pentland . *New Solutions for Cybersecurity* 2018.
- 206 [Patel et al. ()] ‘Home Automation Using Internet of Things’. P Patel , M Patel , V Panchal , & V Nirmal .  
207 *Imperial Journal of Interdisciplinary Research (IJIR)* 2016. 2 (5) .
- 208 [IEEE International Conference on Cloud Computing Technology and Science ()] *IEEE International Confer-*  
209 *ence on Cloud Computing Technology and Science*, 2013.
- 210 [Gubbi et al. (2013)] ‘Internet of Things (IoT): A vision, architectural elements, and future directions’. J Gubbi ,  
211 R Buyya , S Marusic , M Palaniswami . *Future Generation Computer Systems* September 2013. 9 (7) . (Pages  
212 1645-1660)
- 213 [Soumya et al. ()] ‘Internet of Things based Home Automation System’. S Soumya , M Chavali , S Gupta , N Rao  
214 . *IEEE International Conference On Recent Trends In Electronics Information Communication Technology*,  
215 (India) May 20-21, 2016.
- 216 [Piyare ()] ‘Internet of Things: Ubiquitous Home Control and Monitoring System using Android based Smart  
217 Phone’. R Piyare . *International Journal of Internet of Things* 2013.
- 218 [Wang et al. ()] ‘IoT and Cloud Computing in Automation of Assembly Modeling Systems’. C Z Wang , Li Da  
219 Bi , Xu . *IEEE TRANSACTIONS ON INDUSTRIAL INFORMATICS* MAY 2014. 10 (2) .
- 220 [Pavithra and Balakrishnan (2015)] ‘IoT based monitoring and control system for home automation’. D Pavithra  
221 , Balakrishnan . *Global Conference on Communication Technologies (GCCT)*, April 2015. p. .
- 222 [Ashok et al. (2017)] ‘IoT based Monitoring and Control System for Home Automation’. M Ashok , P S Varma  
223 , M V R Sundari . *International Journal of Engineering Technology Science and Research* November 2017. 4  
224 (11) .
- 225 [Kaldykulova (2017)] ‘IoT smart campus review and implementation of IoT applications into education process  
226 of university’. Z Kaldykulova . *13th International Conference on Electronics, Computer and Computation*  
227 *(ICECCO)*, Nov. 2017. p. .
- 228 [Cook et al. (2003)] ‘MavHome: An Agent-Based Smart Home’. D J Cook , M Youngblood , E O Heierman , K  
229 Gopalratnam , S Rao , A Litvin , F Khawaja . *Proceedings of the First IEEE International Conference*  
230 *on Pervasive Computing and Communications*, (the First IEEE International Conference on Pervasive  
231 Computing and Communications) 26 March 2003.
- 232 [Mandula et al. (2015)] ‘Mobile based home automation using Internet of Things (IoT)’. K Mandula , R Parupalli  
233 , Ch A S Murty , E Magesh , R Lunagariya . *2015 International Conference on Control, Instrumentation,*  
234 *Communication and Computational Technologies (ICCICCT)*, 19 Dec. 2015. p. 18.
- 235 [Stankovic (2014)] ‘Research Directions for the Internet of Things’. J A Stankovic . *IEEE Internet of Things*  
236 *Journal* Feb. 2014. (1) .
- 237 [Pattar et al. (2018)] ‘Searching for the IoT Resources: Fundamentals, Requirements, Comprehensive Review  
238 and Future Directions’. S Pattar , R Buyya , K R Venugopal , S S Iyengar , L M Patnaik . *IEEE*  
239 *Communications Surveys & Tutorials* 10 April 2018.
- 240 [Md et al.] ‘Signal Processing Techniques for IoT-based Structural Health Monitoring’. A Md , A Mahmud , K  
241 Abdelgawad , Yelamarthi . *29th International Conference on Microelectronics (ICM)*, p. .
- 242 [Piyare and Lee] *Smart Home-Control and Monitoring System Using Smart Phone. ICCA, ASTL*, R Piyare , S  
243 R Lee . p. 2013. (net)
- 244 [Soliman et al.] M Soliman , T Abiodun , T Hamouda1 , J Zhou , C H Lung . *Smart Home: Integrating Internet*  
245 *of Things with Web Services and Cloud Computing*,
- 246 [Liu ()] ‘Study on Smart Home System Based on Internet of Things Technology’. Y Liu . *Informatics and*  
247 *Management Science IV*, Lecture Notes in Electrical Engineering W Du (ed.) (London) 2013. Springer.  
248 207.
- 249 [Kelly et al. ()] ‘Towards the Implementation of IoT for Environmental Condition Monitoring in Homes’. S D T  
250 Kelly , N K Suryadevara , S C Mukhopadhyay . *IEEE Sensors Journal* 2013.