Artificial Intelligence formulated this projection for compatibility purposes from the original article published at Global Journals. However, this technology is currently in beta. *Therefore, kindly ignore odd layouts, missed formulae, text, tables, or figures.* 

1	Computation Model for Identifying Types of Diabetics using
2	Multi-Selection Criteria Evaluation and K-Nearest Neighbor
3	Towhidul $Islam^1$
4	<sup>1</sup> Southern university Bangladesh
5	Received: 14 December 2017 Accepted: 31 December 2017 Published: 15 January 2018

#### 7 Abstract

The main purpose of this topic is to develop a dynamic model of a Diabetes solution system. 8 Diabetes mellitus is a chronic disease caused by inherited and/or acquired deficiency in 9 production of insulin by the pancreas or by the ineffectiveness of the insulin produced such a 10 deficiency results in increased concentrations of glucose in the blood. Which in turn damage 11 many of the body systems in particular the blood vessels and nerves. Diabetes mellitus, often 12 simply referred to as diabetes, is a group of metabolic diseases in which a person has high 13 blood sugar, either because the body does not produce enough insulin, or because cells do not 14 respond to the insulin that is produced. This high blood sugar produces the classical 15 symptoms of polyuria (frequent urination), polydipsia (increased thirst) and polyphonic 16 (increased hunger).diabetes is data mining based notification systems. This system developed 17 is main purposed the people easily treatment for accommodation. This system helps finds 18 diabetes what type of diabetes type1, type2, no diabetes easily provide this system. In this 19 work, at first identity all the dependent variable or data to classify the suitable from 20 unsuitable location. Then I have classified the data using Multi Criteria Evaluation System 21 (MCES)[2].MCES helped the data set to be properly design and manipulated the system and 22 KNearest Neighbor helped the diabetes range[1]. The main purpose of applying this 23 identification is diabetes level. The concept of basically helped to build knowledge base. Most 24 important of this topics collecting the real data for diabetes information. 25

26

27 Index terms— classification diabetes, MCES algorithm-NN algorithm.

## 28 1 Introduction

iabetes solution is data mining based notification systems. This system developed is main purposed every people 29 easily known diabetes patient. Then what kinds of diabetes type 1, type 2 & No diabetes lives and easily find 30 out for accommodation. This system helps easily finds out type 1, type 2 & Nodiabetes identify. This system 31 designed basically Multi Criteria Evaluation Systems (MCES) method used [2]. MCES computing the data set 32 33 to be properly design and manipulated the system. The main purpose of applying this identification is to design 34 a physical level. This system works, at first select different types Symptoms. Example: frequently urination, very 35 thirsty. weight less increased hunger tried and weakness injured dry delay every see present itch bred few see eye blurry vision irritability tingling gum infections etc. Second step in test selection example OGT, FGT, Hbalc, 36 ABF, HDL, Blood etc [4]. Each Criteria select based on need then test result provide. Then base test value 37 so result provide type1, type 2 or No diabetes. Next scaling the each criterion diabetes level using K-Nearest 38 Neighbor, K-Nearest Neighbor helped the diabetes range. Then type 1 range sum>=130.55mm & Hbalc>=6. 39 5 then type 2 diabetes range sum>=130.55mm & Hbalc<6.5 then type 2 diabetes and range sum<=130.55mm 40 then no diabetes [6]. The main purpose of applying this identification is diabetes level. The concept of basically 41

42 helped to build knowledge base. Most important of this topics collecting the real data for diabetes information.

43 Standardization of criterion scores particularly as sign the value. All the value defined between two intervals scores 44 o and 1. The maximum value is score 0, the minimum value is score 1, the mid value is score 0.5 and other value

in scores 0 and 1 [2]. When the patient search symptoms then gives the measurable for each criteria particularly

<sup>46</sup> importance of this criteria .Finally, this system select a perfect test result provide then drug suggestion and dose

47 time.

# 48 **2** II.

# <sup>49</sup> **3** Diabetes Mellitus

Diabetes mellitus is a chronic disease caused by inherited and/or acquired deficiency in production of insulin by the pancreas or by the ineffectiveness of the insulin produced such a deficiency results in increased concentrations of glucose in the blood. Which in turn damage many of the body systems in particular the blood vessels and nerves. Diabetes mellitus, often simply referred to as diabetes, is a group of metabolic diseases in which a person has high blood sugar, either because the body does not produce enough insulin, or because cells do not respond

55 to the insulin that is produced [4].

## <sup>56</sup> 4 a) Because blood glucose very high

This high blood sugar produces the classical symptoms of polyuria (frequent urination), polydipsia (increased thirst) and polyphonic (increased hunger: under the design of process natural man and diabetes man [4].

# 59 5 b) Symptoms

<sup>60</sup> Diabetes mellitus is a chronic disease caused by inherited and/or acquired deficiency in production of insulin by

61 the pancreas or by the ineffectiveness of the insulin produced such a deficiency results in increased concentrations

62 of glucose in the blood. Under the diabetes symptoms [4]

# 63 6 c) Reason for diabetes

64 Which in turn damage many of the body systems in particular the blood vessels and nerves. Under the Diabetes

reason for diabetes [6]. ? Family father mother near relative to diabetes ineffective ? Weight very high ? Do not

66 physical exercise and hardworking ? Longtime Cotswold medicine use

# <sup>67</sup> 7 d) Conditions that cause diabetes

Diabetes mellitus is a chronic disease caused by inherited and/or acquired deficiency in production of insulin by
the pancreas or by the ineffectiveness of the following conditions [6].? Physical thickness ? Pregnant ? Injured ?
Shock ? Surgery ? Mental contrariety

e) Principle forms of diabetes i. Type 1 diabetes: insulin dependent in which the pancreas fails to produce the
insulin which is essential for survival this form develops most frequently in children and adolescents but is being
increasingly noted later in life. Type 1 diabetes, formerly called juvenile diabetes or insulindependent diabetes,
is usually first diagnosed in children, teenagers, or young adults. In this form of diabetes, the beta cells of the

<sup>75</sup> pancreas no longer make insulin because the body's immune system has attacked and destroyed them. Treatment

<sup>76</sup> for type 1 diabetes includes taking insulin shots or using an insulin pump, making wise food choices, exercising <sup>77</sup> regularly, taking aspirin daily (for some), and controlling blood pressure and cholesterol [6].

# <sup>78</sup> 8 Global Journal of Computer Science and Technology

79 Volume XVIII Issue IV Version I

# 80 9 III. MCES (Multi Criteria Evaluation System)

MCES is basically called decision making process. MCES provides a framework for exploring solution to decision 81 making problem, which may be poorly defined. It is a method for combining data according to their importance 82 83 in making a given decision. At a conceptual level, MCES method involve qualitative or quantitative weighting, 84 scoring or ranking of criteria to reflect their importance to either a single or a multiple set of objectives .The 85 main advantage of MCES is that they make it possible to consider a large number of data, relations an objectives which are generally present in a specific real world policy problem, so that the problem at hand can be studied 86 in a multi dimensional fashion. Perhaps the simplest MCES is the weighted linear summation system . The steps 87 involved in applying this system a diabetes solution system is illustrated in Figure 01and can be described as 88 follows. 89

90 Step 1

<sup>91</sup> At first select Symptoms and different test of selection criteria.

## 92 10 Step 2

93 Standardization criterion scores of their measurable. Most MCES analysis, especially those using quantitative 94 and mixed data sources, require some form of standardization of the scales of measurement used by the data 95 layers. This is necessary to facilitate the comparison of factors measures using different units and scales of

96 measurement.

#### 97 11 Step 3

Allocation weighted of their each criterion. This is done by adding weighted to reflect the importance of each criteria. A high level of importance done maximum of weighted and low level of importance done minimum of weighted.

101 Step 4

Finally, applying the MCES method. An MCES method may then multiply theses standardized scores by the 102 weights for each of the data layers in stage 1 and sum these to allocate a score to each pixel on the output map. 103 Further evaluation of the results may be carried out by ranking the values in the results map and reclassifying the 104 ranked map to show the top ranked correct symptoms or Test. This test easily indicates then kinds of diabetes 105 easily provide. K-nearest neighbor (K-nn) algorithm is a branch of supervised learning [1]. Now-a-days it is 106 being applying in various fields of data and information processing irrespective of science, commerce and arts. In 107 the context of machine learning, K-nn is considered an effective data classification technique based on adjacent 108 developed examples of sample space. The value of K is always positive and an object is classified by considering 109 the greater number of choice of its neighbors. The neighbors are chosen from data set which is best fit for correct 110 classifications and Euclidean distance helps to measure the overall distances. Here every occurrence correlates 111 to points in sample space or within populations. Generally distance or similarity between instances or objects is 112 easy if the data sets are numeric or integer. A very typical formula to calculate distances is Euclidian distances 113 formula as follows: However it is very essential to bear in mind that all the instances at sample space must be 114 same scale. As for example income will compare with income not the height of the human beings. 115

## <sup>116</sup> 12 Multi C rite r ia E v a lu a tio n S ys te m (MC E S ).

117 For qualitative data the distance measurement process will be different and it is important to consider that the

instances are same or not. At this stage the qualitative objects are measured by allocating Boolean values to

119 each object. It might be possible to converts to instances between which distance can be identified by some

techniques. As for example color, temperature, age, height etc. Text and character has identified as one instance per word with the frequency start from 0, 1, 2????????.n.

# 122 13 b) The classifications process of K-nn as follows

123 The two main steps of K-nn must follow are: 1. Training

## 124 **14** Predictions

Training means to get information from all sample spaces and populations. To accomplish this work we need to have the idea about the all instances and objects. In this sense it is very important to bear in mind that data set must be in same class. The qualitative and quantitative data measurement will be different. The predictions will manage by considering the predefined methods.

## 129 15 i. The k-nn Algorithm

The total algorithmic steps are as follows: 1. Parameter selections (int m, int n). m=0, n=1, 2, 3????????n. ?(f) = ? w ij (s1-f s2) 2

Where w ij is the similarity between examples i and j. And f i and f j are the predictions for example i and j. In

the figure above we see that the small circle belongs three different color dots where the black one is the pivotal element and based on that point we will calculate the green and other two green and red points. According to this figure we have to predict the green points as a K nearest neighbors. The neighbors are very closest to the pivotal point.

# <sup>137</sup> 16 d) Organization of The Process

Now it is important to build the process how Knn may organized in reality or the time line. To manage the proper training area we have to shorten the area or to select the appropriate area. When we are able to fix the sample area for computation, it will help us to reduce the computational complexity for entire process. n= indicate the nearest value. m= categories of the neighbors. In the figure above we see that there are two categories of neighbors. One data set indicate by plus (+) sign and other is small hole.

## 143 **17** IV.

### 144 18 Data Analysis

A Data analysis is integrates hardware, software, and data for capturing, managing, analyzing, and displaying 145 all forms of data referenced information. Data analysis allows us to view, understand, interpret, and visualize 146 data in many ways that reveal relationships, patterns, and trends in the form of measurement, globes, reports, 147 and charts. Its can be integrated into any enterprise information system framework. The integration of data 148 which may have been obtained from various sources, computerized at various scales, and based upon different 149 projection systems, is a complex task and remains a major challenge. In a general sense, the term describes any 150 information system that integrates stores, analyzes, shares, and displays data information for informing decision 151 making. Finally, its can produced different types information is combined relation each other. 152

Diabetes mellitus is characterized by recurrent or persistent hyperglycemia, and is diagnosed by demonstrating any one of the following as shown in the table (1) which is diabetes diagnostic criteria. Fasting plasma glucose level ? 7.0 mmol/l (126 mg/dl) Plasma glucose ? 11.1 mmol/l (200 mg/dl) two hours after a 75 g oral glucose load as in a glucose tolerance test Symptoms of hyperglycemia and casual plasma glucose ? 11.1 mmol/l (200

157 mg/dl) Glycated hemoglobin (Hb A1C) ? 6.5% [7].

## <sup>158</sup> 19 Global Journal of Computer Science and Technology

Volume XVIII Issue IV Version I Step 2 Secondly, scaling the each criteria particularly and assign the value or (measurable). Showing bellow:

161 Table ??: Scaling the each criteria particularly and assign the value

Step 3 Standardization of criterion scores particularly distances value. All the value defined between two intervals scores o and 1. The maximum value is score 0, the minimum value is score 1, the mid value is score 0.5 and other value in scores 0 and 1. This score create the based on equation (This equation only one location). Showing bellow: Thirsty= (thirsty \_max-thirsty \_value)\*1/( thirsty \_maxthirsty \_min); Weakness= (weak max-weak\_value)\*1/( weak\_maxweak\_min);

- $166 \_max-weak \_value)*1/(weak \_maxweak \_min);$
- 167 . OGT= (ogt \_max-ogt \_value)\*1/( ogt \_max-ogt \_min); Hbalc= (hbalc \_max-hbalc \_value)\*1/( hbalc \_maxhbalc \_min); V.

### 169 20 CONCLUSION

170 The main goal of Computation Model for Identifying Types of Diabetics Using Multi-Selection Criteria Evaluation

and K-Nearest Neighbor algorithm is to get best algorithms that describe given data from multiple aspects. There

- are different diabetic's symptoms classification algorithm that can be used for the identification of diabetes disease among patients. In this paper two classification techniques (MSCE, K-NN) are applied to predict the diabetes
- disease in patients. The algorithms are very necessary for intend an automatic classification tools. In our study
- <sup>175</sup> first the two techniques were first filtered by using the computing time in which MCES helped the data set to
- be properly design and manipulated the system and K-Nearest Neighbor helped the diabetes range. The main purpose of applying this identification is diabetes level.








Figure 2:

177




Figure 3: 5 . 6 .Fig. 3 :




Figure 4: Fig. 4 :

Contractor of the local distance of the	14940	3 80	addies and the case of the	inconstituence.			to a constant		
	Bearden and a		Concession in the second	Road industries		decise: c	1716-AN		
	in it shows and			AR-an-	_	Consultation in the	Million of St.		
	C. Samerando	au 1			-				
1110	Attented				-		89444 (B)		
Patrick Plater	at long tarted   high some	1	terner (managered	WARMAN TO THE	L surr	THEATEL A	art attant 12 6 2	Table 1	
C. Instein	10.0 13.0	19.00		4.0 12.0	0.00	11200.0 13.0	1. 113.0 12	14.44	

Figure 5:

- ? Frequently urination
- ? Very thirsty.
- ? Weight less
- ? Increased hunger
- ? Tried and weakness
- ? Injured dry delay
- ? Every see present itch bred
- ? Few see eye
- ? Blurry vision
- ? Irritability
- ? Tingling

ii.

? Gum infections

#### Figure 6:

Computation Model for Identifying Types of Diabetics using Multi-Selection Criteria Evaluation and K-Nearest Neighbor

	Design of Process: Non	Design of Process: diabetes
	-Diabetes	patients
	Natural man	Diabetes patients
	Pancreas	Pancreas
Year 2018	Insulin	Do not insulin
10		
	Glucose do	Glucose do
	the work	not work
	Energy produced	Energy not produced
	Health	It is diabetes patients
$() \alpha$		

( ) C © 2018 Global Journals 1

[Note: Treatment includes taking diabetes medicines, making wise food choices, exercising regularly, taking aspirin daily (for some), and controlling blood presser. There are several signs and symptoms that indicate a person may have either pre-diabetes or undiagnosed diabetes[6].]

#### Figure 7:

#### 1

Condition	2 hour glu- Fasting glucose	HbA
	cose	1c
Unit	$\rm mmol/l(mg/dl)  mmol/l(mg/dl)$	%
Normal	<7.8 (<140) <6.1 (<110)	$<\!\!6.0$
Impaired fasting glycaemia	<7.8 (<140) ? $6.1(?110) &$	6.0-
		6.4
	<7.0(<126)	
Impaired glucose tolerance	?7.8 (?140) < 7.0 (<126)	6.0-
		6.4
Diabetes mellitus	?11.1 (?200) ?7.0 (?126)	?6.5
Step 1		

At first select symptoms and test of selection criteria. Most symptoms & test is selected based then kinds of diabetes provide. Example then Showing bellows:

Figure 8: Table 1 :

#### $\mathbf{1}$

Kind of diabetes	Criteria 1	Criteria 2	???.	Criteria	Criteria 12
Type1/Type2/No Dia-	Thirsty	Weakness	???	OGT	Hbalc
betes "	"	"	???.	"	"
"	"	"	??	"	"
"	"	"		"	"

Figure 9: Table 1 :

## 3

Step 4	$Weakness= (weak \_max-weak \_value)*1/(weak$
Next, weight adjustment each criteria	max- weakmin)*weight_weak;
particularly importance for client. After multiply weight	$OGT = (ogt \_max-ogt \_value)*1/(ogt \_max-ogt$
and criterion score. Using this equation is showing bellow:	min)*weight_ogt;

Figure 10: Table 3 :

 $\mathbf{4}$ 

Kinds of diabetes	Thirsty Weakness ? OGT Hbalc
Type1	1*0.6=0.6 0*0.4=0 ? 530*0.3=15 <b>9</b>
Type2	0*0.6=0 0.2*0.4=0.08 450*0.3=135.5
No diabetes	0.5*0.6=0.3*0.4=0.4? $135*0.3=4055$
Step 5	
Finally, Add the all criteria value .Which totals are n	naximum this symptoms & test are selected. Using thi

equation is showing bellow:

Totals=Thirsty+ Weakness+??..+OGT+Hbalc;

#### Figure 11: Table 4 :

 $\mathbf{5}$ 

14

Computation Model for Identifying Types of Diabetics using Multi-Selection Criteria Evaluation K-Nearest Neighbor Kind of diabetes Thirst Weakness ??? Type1 3 ???. 50 ??.. Type2 1 No diabetes  $\mathbf{2}$ 1 ??... Year 2018 Volume ??? ???. Kind of diabetes Type1 Type2  $Thirsty\!W\!eakness$ 

, or drifte	Inna of anabotos Typer Type	111150571 0001110000	•••	
XVIII		$1 \ 0 \ 0 \ 0.2$		
Issue IV				
Version I				
С()	No diabetes	0.5 1		??
Global	Thirsty= (thirstnax-thirstvalu	ne)*1/( thirst _max-thirst _min)*weight_thirst	;	
Journal of				
Computer				
Science				
and Tech-				
nology				
	Kinds of diabetes	ThirstWeakness	?	OG
	Type1	0.6 0	?	159
	Type2	0 0.08	?	135
	No diabetes	0.3  0.4	?	40.5

Figure 12: Table 5 :

#### 6

Year 2018 15Volume XVIII Issue IV Version I () C Global Journal of Computer Science and Technology

@ 2018 Global Journals 1

Figure 13: Table 6 :

- 178 [Vakil ()], R J Vakil. Brit. Heart J 1949. 350 p. 11.
- 179 [Richard ()], Richard . 2011. (the role of alternative medicine)
- [Ghani ()] A. Medicinal plants of Bangladesh, Abdul Ghani . 1998. 1980. p. . Asiatic society of Bangladesh,
   Dhaka. Kirtikar and Basu
- [Data collection Analysis Dr. Hasan Ahmed. chittagond diabetes hospital limit] Data collection & Analysis Dr.
   Hasan Ahmed. chittagond diabetes hospital limit,
- [MCES (Multi-Selection Criteria Evaluation system) Algorithms] MCES (Multi-Selection Criteria Evaluation system) Algorithms,
- [Ghani] Medicinal plants of Bangladesh with chemical constituents and uses. 2nd edn. Asiatic society of
   Bangladesh, Abdul Ghani, A.
- [Supervised Nurul Mustafa shaik shariful habib Towhidul Islam "Computation Model for Identifying Types of Diabetics measures"
   Supervised Nurul Mustafa shaik shariful habib & Towhidul Islam "Computation Model for Identifying Types
- of Diabetics measurement system, January 2013. (Final paper or thesis. 23)
- [Patlangley and Yun] The Utility of Feature Weighting in K-Nearest-Neighbor Algorithms -Ron Kohavi, Yeogirl
   Patlangley , Yun .