

# Towards Reducing Covid-19 Spread: A Geo-Location Based Attendance Monitoring and Navigation System for Institution

OYEKANMI Ezekiel Olufunminiyi<sup>1</sup>

<sup>1</sup> Achievers University

*Received: 13 June 2021 Accepted: 5 July 2021 Published: 15 July 2021*

---

## Abstract

The current pandemic caused by covid-19 has come to stay and has changed many things, including the education sector of the whole world. However, institutions must resume, and academic activities must continue under the precautionary measures for students and staff to stay safe. The question is, how will precautionary measure be observed? This paper provided a geo-location approach in tackling the aspect of attendance management of students and staff in the classroom to maintain social distancing while marking attendance sheets for a large class and minimize time wastage for another lecturer. The developed software also focused in campus area navigation for outsiders or newly admitted students. This research was carried out using smart phones due to its built-in global positioning system (GPS) and can be afforded by all. The developed system was tested online with different smart phones connected to it, 93 feed-backs with 63

---

*Index terms*— geo-location; attendance system; navigation system; COVID-19; GPS.

## 1 Introduction

he act of taking attendance in the classroom has been the norm in almost every institution or school as it helps to know how regular students are and as a yardstick to measure their performance during examination. Typically, attendance systems are of two types: manual and automated. A Manual system uses sheet of papers or books in taking attendance where students fill out, and lecturers oversee for accuracy [1]. This method is prone to error because sheets could be lost or damaged. The extraction of relevant data and the manual computation might take a lot of time. A Lecturer may use extra time to complete checking the attendance of all the students that came for his/her lecture and this might delay another lecturer from entering for his/her own class period, especially when same venue has been assigned to both lecturers. This can create an overhead cost for such an organization [1]. Not only that, the pursuit of reducing the rate at which people contracted the covid-19 virus may not be realizable after resumption if attendance could continue this way. There will not be social distancing (one of the pre-cautionary measures) while taking attendance of the students, and this may increase the spread of the virus. An automated attendance system, however, uses electronic tags, barcode badges, magnetic stripe cards, biometrics (hand, fingerprint, or facial), and touch screens in place of paper sheets [2]. In these techniques, students touch or swipe to provide their identification, entering, and leaving time to know whether they were around for the class or not. As this is an improvement over manual, in this paper, we introduce the use of smart phones for attendance tracking purposes considering the wide popularity of smart phones which virtually all lecturers and students could afford, and is a form of an automated system. The attendance tracking system is based on the concept of web services on an Android mobile application that communicates with the database on a remote server via internet connectivity (Wi-Fi/4G). This system does not require any peripheral device other than a smart phone due to its built-in GPS. Any user can be tracked automatically via the smart phone's GPS value.

43 While considering attendance management, another objective of this research is to ease routing on campus  
44 for visitors. This is achieved by defining the destination place on campus, and creates a route that leads to the  
45 destination point.

46 The research was carried out at Achievers University Owo where a lot of captured areas were trained both for  
47 attendance management and navigation.

## 48 2 II.

### 49 3 Literature Review

50 A desktop application for daily attendance of students was developed in [3] to store information of students in a  
51 particular class. The technology used for the application was VB.NET, and database management system used  
52 was MS-Access. On startup of the application, the name of all registered students for a particular course were  
53 displayed. Each student marks attendance by clicking the checkbox against his/her name, and click a button to  
54 submit the attendance. The application was a stand-alone compared with the proposed application.

55 In [4], a cost-effective computer-based embedded attendance management system was proposed, the system  
56 uses an improvised electronic card to monitor students' attendance for verification. The card after inserted in  
57 an electronic machine, shows the record of time and other information about an individual before attendance  
58 processing was done. The issue with electronic card or password based system is that it allows for imposture  
59 since cards or passwords can be shared. A better way to tackle this problem is by using a biometric recognition  
60 system which includes finger print or iris recognition.

61 Fingerprints had also been used to identify and calculate the attendance number of individual in [5]. The  
62 system was used to generate the reports after a fixed time duration. Smaili and kadry in [6] also solved attendance  
63 management problem by proposing a wireless system where iris of an individual was used for authentication. It  
64 was like fingerprint where no two persons can be same. Although, iris is more preserved from the external  
65 environment whereas a fingerprint is not. Both a fingerprint and iris recognition-based approach need some extra  
66 devices or scanners which can be connected to the server computation system. Also, based on the circumstance  
67 of the covid-19 pandemic, the fingerprint approach may instigate the risk of contracting the virus; hence this  
68 approach may not be fit to be used now. We proposed a geo-locationbased approach for attendance management  
69 to reduce the risk of contracting covid-19.

70 Researchers have discovered that hardware integrated with Global Positioning System (GPS) receivers can  
71 add geospatial information to web content, photographs, audio, and video automatically [7]. Katie in [8] stated  
72 that routing on campus is easier, more accessible, and of course, be a tool to empower the next generation of  
73 outdoor advocates via a geographical coordinate approach.

74 Another survey of literature and the inference drawn was summarized in Table 1 as follows:

## 75 4 III.

### 76 5 Research Site

77 This research was done at Achievers University Owo (AUO) campus area. The University has many different  
78 buildings, with most of the buildings connected; some of them had different offices and walkways. Many visitors  
79 come around to enquiry; some come for business purpose and the likes. The geographical coordinates of eleven  
80 (11) classrooms, with about thirty-four (34) locations where newly admitted students do visit were captured and  
81 tagged appropriately for easy navigation within the campus. The classrooms comprise selected lecture theatres,  
82 Designated Students' reading Rooms (DSR) for departments, and lecture halls. Since the existence of Achievers  
83 University, no mapping system that can enable a new person on the campus to get to their destination with little  
84 or no guidance has been developed. This research focused on helping incoming visitors via their smart phone or  
85 GPS-enabled device. Figure 1 shows the Google map of Achiever University, Owo.

## 86 6 Architectural Design of the Software

87 In the architectural design shown in Figure 2, the users (students, lecturers, and visitors) have access to smart  
88 phones with the GPS feature enabled. The phone camera is used as the input medium to get the snapshot of the  
89 area of interest-whether for attendance or navigation purposes. The Exchangeable Image File Format (EXIF)  
90 information is stored automatically by the camera after the snapshot. Cameras with a built-in GPS receiver add  
91 the GPS data (in numerical format) to the EXIF, which comprise latitude, longitude, and elevation.

92 Photo GPS extract can read those numbers and visualize them on Google Maps. The coordinates point  
93 expressed in the form of latitude and longitude are the position or location of any place on Earth's surface. The  
94 combination of meridians of longitude and parallels of latitude establishes a framework using the exact positions.  
95 This can be determined using the prime meridian and Equator. For instance, a point described as 40° N, 30° W,  
96 is located at 40° of arc north of the Equator and 30° of arc west of the Greenwich meridian.

97 V.

---

## 7 Research Method

The approach used in the development of the system was in two stages: the training and testing stage. In the training stage, the coordinates of places of interest used were captured three times in a day, both for classroom attendance and route on-campus navigation. This will ensure a good approximate value during testing. The input, process, and output (IPO) flow of the training stage is shown in figure 3, while the flowchart is shown in Figure 4. In the testing stage, the approach is different. In attendance management, after the area has been captured and correctly displayed the tagged name, the lecturer then input the following parameters: staff number, current semester and session, and course code. These information are to initiate the venue of the lecture for such course. Students after that will capture the area using their respective smart phone. If the captured area name is the same with the lecturer's already captured area, the student proceeds by entering their matric number to mark the attendance register. The data flow of the attendance system is shown in Figure 5. However, in the case of navigation of routes on campus, the approach is different. Once the visitor captures the current area (source area) where they are, the tagged name is displayed, and then proceeds to input their destination place. A route is displayed from the source area to the destination area automatically. Figure 4 shows the flow chart of the navigation system. where  $l_i$  is the value of the feature (in this case, it is the coordinate value)  $l_i$  for case  $i$  and  $l_i$  is the scaled value.  $l_i$  is the length of the integral part of the coordinate value which can be represented as  $l_i = \lfloor l_i \rfloor$  (2)

The resultant value is further smoothened by rounding it to a precision value of four (4) Furthermore, to ensure the quality of data and improve the performance of reduced data sets (scaled coordinates), a subset feature selection type was adopted. This sieves out relevant geographical coordinates of the current location has a precision value of 4. The algebra expression for getting relevant data is shown as follows:  $l_i = \lfloor l_i \rfloor$  where  $l_i$ ,  $l_i$  are the latitude, longitude value and location name respectively.  $l_i$  are the current latitude and longitude value meant for querying the database table (coordinate\_table).

## 8 b) Predicting the Location

The problem of attendance monitoring system was a classification problem where when one or more inputs is (are) given, a classification model will try to draw some conclusion from the observed value(s). Bayes theorem is used in the classification. To compute

where  $P(c|x)$  is the posterior probability of class (c, target) given predictor (x attributes).  $P(c)$  is the likelihood which is the probability of predictor given class.  $P(x|c)$  is the class prior probability and  $P(x)$  is prior probability of the predictor.  $P(c|x) = \frac{P(x|c) \times P(c)}{P(x)}$  (4)

The highest posterior probability class shows the predicted outcome. This is the basis of Bayes theorem.

## 9 VI.

## 10 Result, Discussion and Analysis

A typical example of how the Bayes theorem works in the developed application was shown in Table 2. After the EXIF details of a snapshot of a particular location have been captured via the application using Smartphone with its GPS-enabled, the latitude and longitude readings were then retrieved from the EXIF details and used to query the coordinate table as discussed in the previous section. The attribute used with the class "location" in the computation is the latitude. The frequency of each location is calculated based on each distinct latitude value as shown in Table ???. The likelihood, which is the probability of predictor given class, is then calculated to determine the class with the highest posterior probability.

## 11 Latitude

## 12 Table 3: Frequency with likelihood table of distinct latitude value


The outcome of this computation shows that the class (location) with the highest likelihood value is "Admin Office". With this approach, lecturers can be certain of the location name where their lecture is taking place, and students can mark their attendance in the same location. Also, visitors can know where they are and navigate to where they are going within the campus. Figure ?? shows a demonstration of a navigated place. The pie chart of the predicted frequency in terms of correctness is shown in Figure ??.

VI.

## 13 Conclusion


The development of a geo-location-based attendance and campus navigation system is a novel system and an attempt to solve the issue of social distancing in the education system. Smartphone was the tool used to collect images at the training and testing level, due to its built-in GPS that provides an option to automatically attach geospatial information to captured media. In the attendance phase, two major modules were involved, which






3

Figure 2: Figure 3 :




2

Figure 3: Figure 2 :



4


Figure 4: Figure 4 :



5


Figure 5: Figure 5 :





1

Figure 6: ( 1 )



67

Figure 7: Figure 6 :Figure 7 :

1

Author(s) with publication details	Title of the paper	Techniques used	Limitation
Mohammad and Durga Prasad [9]	Design and Implementation of Mobile Phones based Attendance Marking System	WAMP, SQ Lite,	It can be altered by other physical attacks and is prone to hacking.
Jun [10]	Attendance Management System using a Mobile Device and Web Application	Monaca-application	No feedback from users.
Mahesh et al. [11]	A Smart Phone Integrated Smart Classroom	Face recognition, Android	Automatic switching of profile to airplane mode in An droid versions 4.1 i.e. Jelly Bea and above are restricted b Android due to security reasons. Not automated.
Ekta et al. [12]	Survey on Student Attendance Management System		
Milon et al.[13]	Development of Smart phone -based Student Attendance System	Eclipse Android ADT bundle as IDE, SQLite and MySQL.	Can be used only in An droid devices.
Karwan et al.[14]	Student Attendance Management System		Past attendances are not stored.

Figure 8: Table 1 :

## 2

Towards Reducing Covid-19 Spread: A Geo-Location Based Attendance Monitoring and Navigation System for Institution

		Longitude	Location
0.716748522	0.716748522	0.558483833	Admin Office Chancery
0.716748522	0.716748522	0.558483833	Office Chancery Office
0.716748522	0.716748522	0.558483833	Mgt Staff Parking Slot
0.716748522	0.716748522	0.558483833	Conas ICH Lab Mgt
0.716748522		0.558483833	Staff Parking Slot Conas
		0.558483833	MLS Lab
		0.558483833	
		0.558483833	
		0.558483833	
0.716748522		0.558483833	Cosmas
0.716748522	0.716748522	0.558483833	ICH Lab ICH Lab
0.716748522	0.716748522	0.558483833	Librarian Office Librarian
0.716748522	0.716748522	0.558483833	Office Library Library
0.716748522	0.716748522	0.558483833	Chancery Office Admin
0.716748522	0.716748522	0.558483833	Office Admin Office
0.716748522	0.716748522	0.558483833	Admin Office Admin
0.716748953	0.716749525	0.558483833	Office Lecture Hall Area
0.716749525		0.558483833	Geology Lab Admin
		0.558483833	Office ICT Lab
		0.558483833	
		0.558483833	
		0.558483833	
		0.558484406	
		0.558484978	
		0.558484978	
0.716749525		0.558484978	Geology Lab
0.716749525		0.558484978	Lecture Hall Area
0.716749525		0.558484978	Histology Lab
0.716749525		0.558484978	Conas
0.716748522		0.558483833	Admin Office
0.716748522		0.558483833	Chancery Office

© 2021 Global Journals

Figure 9: Table 2 :

.1 Acknowledgement

I like to acknowledge the staff and some students in the institution who despite the lockdown time, assisted in testing the software for feedback analysis.

[Mahesh et al. ()] *A Smart Phone Integrated Smart Classroom*, G Mahesh , K Jayahari , B Kamal . 2016. India. Amrita e-Learning Research Lab (AERL) Amrita School of Engineering, Amritapuri, Amrita Vishwa Vidyapeetham, Amrita University

[Jain et al. (2016)] *Attendance Management System*, S Jain , U Joshi , B Sharma . 24th August, 2016. Kota, accessed. Rajasthan Technical University (Masters Project Report)

[Kumbhar et al. ()] ‘Automated Attendance Monitoring System using Android Platform’. A Kumbhar , K Wanjara , D Trivedi , A Khairatkar , & D Sharma . *International Journal of Current Engineering and Technology* 2014. 4 (2) p. .

[Jun ()] *Department of Socio-informatics, Faculty of Letters Chuo University 742-1 Higashinakano*, L Jun . 192-0393. 2016. Hachioji-shi, Tokyo; Japan. (Attendance Management System using a Mobile Device and a Web Application)

[Mohammad and Durgaprasad ()] *Design and Implementation of Mobile Phones based Attendance Marking System*, A Mohammad , G Durgaprasad . 2015. Dehradun, Uttarakhand, India. Department of Computer Science Engineering, Graphic Era University

[Shoewu and Idowu ()] ‘Development of Attendance Management System using Biometrics’. O Shoewu , O Idowu . *Pacific Journal of Science and Technology* 2012. 13 (1) p. .

[Milon et al. ()] *Development of Smartphone-based Student Attendance System*, I Milon , H Kamrul , B Masum , U Manik . 2017. Bangladesh. Department of Computer Science and Engineering Khulna University of Engineering & Technology, Khulna-9203

[Lawson et al. ()] ‘Embedded Computer-Based Lecture Attendance Management System’. O Lawson , O Shoewu , M Olaniyi . *African Journal of Computing and ICT (Journal of IEEE Nigeria Computer Section)* 2011. 4 (3) p. .

[Hu and Ge (ed.)] *Geo Tag Mapper: An Online Map-based Geographic Information Retrieval System for Geo-Tagged Web Content*, Y Hu , & L Ge . M.P (ed.) 11.

[Katie (2019)] *Geo tagging and Social Media in Our Modern Age of Conservation*, B Katie . <https://www.rei.com/blog/news/rei-presents-in-our-nature-is-photography-ruining-the-outdoors> 2019. August 2nd, 2019. p. .

[Peterson ()] *International Perspectives on Maps and the Internet Lecture Notes in Geo information and Cartography*, Peterson . 2008. Berlin, Germany; Berlin Heidelberg: Springer. p. .

[Pankanti et al. ()] ‘On the individuality of fingerprints”. Pattern Analysis and Machine Intelligence’. S Pankanti , S Prabhakar , & A Jain . *IEEE Transactions on* 2002. 24 (8) p. .

[Karwan et al. ()] *Student Attendance Management System*, J Karwan , I Falah , A Shahab . 2018. Iraq. University of Zakho

[Ekta et al. ()] *Survey on Student Attendance Management System*, C Ekta , C Heeral , G Shubham , M Sompurna , J Nikhil . 2016. Nagpur. Jain Institute of Technology, Management and Research

[Smaili and Kadry ()] ‘Wireless attendance management system based on iris recognition’. M Smaili , S Kadry . *Scientific Research and essays* 2013. 5 (12) p. .