

A Hybrid Image Compression Technique Using Wavelet Transformation -MFOCPN and Interpolation

Dr.ANNA SARO VIJENDRAN¹ and VIDHYA.B²

¹ Bharathiar university

Received: 21 December 2010 Accepted: 10 January 2011 Published: 21 January 2011

Abstract

In this paper an interpolation method is proposed for compression technique. The method used is the localizing of spatial and frequency correlation from wavelets. Modified Forward Only Counter Propagation Neural Network (MFOCPN) is used for the classification and functional task. The wavelet based technique decomposes the lower sub band consisting of non significant coefficients and are eliminated. The significant smooth and sharp coefficients are found using interpolation methods. Here a new technique is proposed called the cosine interpolation, which is an alternative to the nearest neighborhood interpolation method. This methodology of interpolation proved to be an efficient approach for mapping all significant coefficients and thus resulting in improved quality. Hence the comparison is made between nearest neighborhood interpolation and cosine interpolation. The experimental results are tested on various standard images, where these results yield a better PSNR value compared with the existing nearest neighbor interpolation method.

Index terms— Wavelets; MFOCPN; Nearest Neighborhood Interpolation; Cosine Interpolation

1 INTRODUCTION

Digital Image Processing is defined as analyzing and manipulating images. Image Compression has become the most recent emerging trend throughout the world. Some of the common advantages image compressions over the internet are reduction in time of webpage uploading and downloading and lesser storage space in terms of bandwidth. Compressed images also make it possible to view more images in a shorter period of time [1]. Image compression is essential where images need to be stored, transmitted or viewed quickly and efficiently. The benefits can be classified under two ways as follows: First, even uncompressed raw images can be stored and transmitted easily. Secondly, compression provides better resources for transmission and storage.

Image compression is the representation of image in a digitized form with a few bits maintenance only allowing acceptable level of image quality. Compression addresses the problem of reducing the amount of data required to represent a digital image. A good compression scheme is always composed of many compression methods namely wavelet transformation, predicative coding, and vector quantization and so on.

Wavelet transformation is an essential coding technique for both spatial and frequency domains, where it is used to divide the information of an image into approximation and detail sub signals [2].

Artificial Neural Networks (ANN) is also used for image compression. It is a system where many algorithms are used. The ANN is viewed as a graph with various nodes namely source, sink and internal [3].

The input node exists in the input layer and output node exists in the output layer whereas hidden nodes exist in one or more hidden layers. In ANN various learning method are used namely Unsupervised, Reinforcement learning and Back propagation.

Counter Propagation Neural Network (CPN) has become popular since it converges faster. A level of advancement in CPN is forward only Counter Propagation (FOCPN), where correlation based technique is used [4], [5], [6]. Modified forward only Counter Propagation (MFOCPN) is proposed where distance metrics are

used to find the winner among the hidden layers neurons [7]. Some of the recent works have the combination of Artificial Neural Network and classical wavelet based approach which yields better compression ratio [8]. In this paper a new method is proposed using wavelet decomposition coefficients in MFOCPN by an interpolation. Two different interpolation methods are applied in MFOCPN and the results are compared. The Organization of this paper is as follows: Section II describes the existing methodology. Section III explains the proposed method with architecture. In Section IV the experimental results are compared and Suggestions are made In Section V.

2 OVERVIEW OF METHODOLOGIES USED 1) Wavelet Transforms

A Wavelet is a foundation for representing images in various degrees of resolution. Wavelet transforms is just the representation of functions by a wavelet, which is a mathematical function, dividing the function into various frequency component matching the resolution. Wavelet transformation methodology has been used because of the disadvantages in Fourier Transformation [12]. A wavelet transformation has been classified as discrete wavelet transforms (DWTs) and continuous wavelet transforms (CWTs). A wavelet is represented as multi resolution level where each analysis is implemented through high pass and low pass filters, where each high pass filter is passed on wavelets and low pass filters is based on scaling functions. The wavelet transform function is based on the conversion of one dimensional function into two dimensional space involving translation and dilation parameters related to time and scale factors. Both the high and low frequency supports well for wavelet transform hence are well suited for image compression.

3 2) Modified Forward Only Counterpropagation

Neural Network (Mfocpn)

The counter propagation network is a hybrid network, and called to be a self organizing loop, having the characteristic of both self organizing map (SOM) and feed forward neural network. The variants of CPN are of two types forward counter propagation and full counter propagation. The CPN has three layers namely input, instar and outstar is given in Fig (??).

4 Fig.1 CPN Architecture

The input and the instar layer is said to have a competitive connection where only one neuron is considered as winner. The instar and outstar are connected by as feed forward networks. Thus in CPN each layer is considered and trained separately enabling the network as a good classification model. The learning in CPN is classified as the learning Process is given in two phases. The Kohonen learning (unsupervised) phase and the Grossberg learning (supervised) phase [7], [8].

5 3) Thresolding

The combination of both wavelets along with MFO-CPN provides a better compression. In Fig (??) a classical wavelet based compression is shown where the DWT is used then it is passed to Quantizer where the pixels are only reduced, where as in Fig (??) a wavelet along with CPN model is used to obtain a significant pixels [13]. Discrete wavelet transform (DWT) is done to reduce the inter pixel redundancy. The DWT provides multi resolution system, where the coefficients are quantized along with MFO-CPN where each wavelet level and sub band is trained on the basis of thresolding. An image decomposed with wavelet transformation can be reconstructed with desired resolution. A three level wavelet decomposition allows to transform coefficients. The wavelet sub band decomposition has the non-significant values at the lower level. In the Fig(?? a) the notation L and H represents low pass and high pass filters respectively and the LLi, LHi, HLi,HHi, are the filters where first letter denotes the vertical order (i.e.) the filter applied to rows and second letter denotes the horizontal order (i.e.) the filter applied to columns. The advantage of high pass component is that it reduces the computational time. The levels of decomposition make the compression efficient. Quantizer reduces the number of bits needed to store the transformed coefficients. It is considered as many to one mapping.

The thresolding parameter is chosen based on experimentation or based on visual effect of reconstructed image. The universal thresolding parameter is ? [13], [10] which has the number of total coefficients and standard deviation of coefficients. The Fig(?? b) and Fig(?? c) show an boat image with its wavelet transformation having three levels.

In this approach it is experimented to find the direction of significant coefficients across various sub bands of decomposition. Here an adaptive hard thresolding approach is applied for finding the significant wavelet coefficients. The thresolding parameter has been tuned for each level of image after several experimentations based on the quality of the reconstructed image.

6 III. PROPOSED METHODOLOGY

The proposed methodology is explored with the MFO-CPN networks along with cosine interpolation to obtain the wavelet coefficients for image compression. Discrete Cosine Transform (DCT) was widely used in image compression, but due to various disadvantages as mean weighting defect and noise weighting so on a DWT method

is only used. Hence wavelet based transforms are better compared to DCT. The classical wavelet based coding along with MFO-CPN is used where only significant wavelet coefficients are passed after wavelet transformation is applied, instead of passing the whole pixel value.

7 1) Interpolation For Spatial Location Of Significant Wavelet Coefficient

The quantization methods help in significant mapping of coefficient along with the positional information to reconstruct the image. The interpolation is a method of adding or removing a pixel while resizing or compressing an image. An interpolation is of different kinds but basically it is divide into two groups namely adaptive and non adaptive. Adaptive methods are used to interpolate among sharp edges and smooth texture whereas nonadaptive methods treat all pixels equally [14]. Various interpolation methods are nearest neighborhood, bilinear, bicubic, spline, and cosine and so on. In our proposed method a nearest neighborhood interpolation is already taken and cosine interpolation method is newly constructed and a comparison is made. Nearest neighbor is the common approach method that requires only least processing time because it considers only the one pixel that is nearby to the interpolated. In other interpolation method it takes four pixels or eight pixels that are surrounded for the interpolated point.

Thus in Fig.(??) a nearest neighborhood interpolation curve is given, which shows a sharp edges are only taken for the interpolated point, hence the considerations for nearest neighbor is less computational technology.

The disadvantage of using linear interpolation is it results in discontinuities. A cosine interpolation is the other simplest methods and tends to provide a smooth transition between adjacent segments. In Fig (??) the curve gives a clear view of cosine interpolation graph where cosine gives a smooth transition curve. Hence both the methods are taken into account and compared on the same metric. Initially an image is taken of size $M \times N$, where an wavelet decomposition is done at any level, then thresholding is used along with the MFOCPN by applying VQ to obtain the significant values, where the Cosine Interpolation is used to obtain smooth coefficients, and then decoder along with the inverse wavelet transform is used to obtain the reconstructed image. Algorithm coding explains the process.

8 Algorithm-coding

Step 1. Wavelet decomposition of image for level k , and assign count $c = k$.

Step 2. Single level wavelet decomposition of LL ($c-1$) I and apply thresholding on obtained three subbands HL, HH, LH. Find significant coefficient (after thresholding on three subbands) and apply VQ using MFOCPN for coding.

Step 3. Cosine Interpolate the reconstructed LL c to the size $(M/2^{c-1}) \times (N/2^{c-1})$ to get LL ($c-1$) I.

Step 4. Decode HL, HH, LH using MFOCPN decoder.

Step 5. Take LL c and HL, HH, LH from Step 3 and apply inverse wavelet transform (IDWT) with these four subbands and obtain image I of size $(M/2^{c-1}) \times (N/2^{c-1})$.

Step 6. Change $c = k-1$ and LL $c = I$ (from Step 5) and if $c = 0$ go to Step 6 else go to Step 3.

Step 7. Stop.

IV.

9 RESULTS AND DISCUSSIONS

The simulation results are given in the table. This gives a comparison between the Nearest neighbor and cosine interpolation methods. Simulations are done as follows: a) Standard image is taken. b) Wavelet decomposition and thresholding is taken. c) Along with the thresholding quantization table is constructed. d) Wavelet decomposition with the two variants of interpolation method is done using Algorithm coding in the place of MFO-CPN. e) Comparison results are displayed in the table.

The interpolation method used is the cosine and nearest neighbor method. Wavelet decomposition is also done; codebook is done using MFO-CPN. Here the results are compared for various standard images and the output of the Lena image is displayed. in the table(1) a comparison result of Lena, cameraman and mandrill image of various sizes namely 128, 256, 512 are taken in all those the PSNR value for the Cosine Interpolation yields a higher value compared with the nearest neighborhood interpolation. From the below table it is seen for the gray scale image using Lena of size 128 X 128 the PSNR value by the Nearest Neighbor is 15.9025 (i.e.) it is 5 times greater increase with the previous value and with Cosine is 20.0200 that Cosine Interpolation PSNR is increased from 5% to 10% than the Nearest Neighborhood Interpolation. V.

10 CONCLUSION

The methodology of using various interpolations proved to be an efficient approach for mapping all the significant coefficients yielding an acceptable compression ratio. The proposed method gives a new approach for various new interpolation methods, in this paper a vector quantization along with MFO-CPN is used instead of conventional VQ which gives better results. This method can be applied for the color images, where it is transformed to YCbCr color space. The Y component inversion is done using interpolation method. The interpolation method

in Y-Component maps the coefficient from CbCr component. As a future works other interpolation methods such as bilinear, bicubic, spline interpolation methods can be explored to produce a significant map. MFOCPN, part for VQ, can further be extended with other similarity measures apart from higher order distance metrics for more efficient code book design.



Figure 1: D




Figure 2: Fig. 2

¹March 2011 A Hybrid Image Compression Technique Using Wavelet Transformation -MFOCPN and Interpolation ©2011 Global Journals Inc. (US)

56




Figure 3: Fig. 5 Fig. 6

6




Figure 4: Fig. 6

(

Volume

XI

Issue

III I

Global	Name	Method	Nearest	PSNR	CR	MSE	Elapsed time in
Jour-	of the	neighbor		15.9025	3.78643	639.2694	sec 91.375000
nal of	picture	Cosine	Nearest	20.0200	3.8925	647.2577	84.546000
Com-	Lena 128	neighbor		19.0147	4.9368	299.4961	495.000000
puter	Lena 256	Cosine	Nearest	23.0640	4.9309	321.1307	959.750000
Sci-	Lena 512	neighbor	Cosine	21.7657	4.6669	152.8454	1764.766000
ence				25.5205	4.6642	182.4042	3505.953000
and							
Tech-							
nol-							
ogy							
	Cameraman	Nearest neighbor		12.1849	3.9196	685.8150	91.922000
		Cosine		19.6627	4.3505	702.7516	60.453000
	Cameraman	Nearest neighbor		11.9751	5.3142	534.2036	481.844000
		Cosine		20.9323	5.4073	544.6225	572.640000
	Cameraman	Nearest neighbor		13.6512	5.6194	426.0196	4685.750000
		Cosine		24.3799	5.5758	430.1840	2008.76000
	Mandrill	Nearest neighbor		10.0539	3.5295	758.3493	99.906000
	128						
		Cosine		19.2166	3.4406	778.7846	57.016000
	Mandrill	Nearest neighbor		12.0395	3.4549	428.1329	287.31300
	256						
		Cosine		21.8586	3.4438	439.8592	384.875000
	Mandrill	Nearest neighbor		15.2378	3.6857	611.2921	2973.797000
	512						
		Cosine		20.1747	3.4024	624.6178	2135.484000

Figure 5: Table (1

-
- [Freeman and Skapura ()] , J A Freeman , D M Skapura . *Neural Networks* 1999. Addison WesleyLongman.
- [Ashutosh et al. (2007)] *A neural and interpolation method for wavelet transform based image compression*
"TENCON 2007 -2007 IEEE Region 10 conference, D Ashutosh , N Subhash Chandra Bose , Prabhanjan
Kandula , K Prem , Kalra . Oct.30.2007-Nov.2.2007.
- [Dwivedi ()] 'A novel hybrid image compression technique: wavelet-MFOCPN'. Ashutosh Dwivedi . *Proc. of 9th*
SID'06 Asia chapter, (of 9th SID'06 Asia chapterNew Delhi, India) 2006. p. .
- [Woods ()] 'Back and counterpropagation abberations'. Donald Woods . *Proc. IEEE, Neural Networks*, (IEEE,
Neural Networks) 1988. 1 p. .
- [Deepak Mishra et al.] 'Color image compression with modified forward-only counter propagation neural net-
work: improvement of the quality using different distance measures'. N S Deepak Mishra , A Bose , A
Tolambiya , P Dwivedi , A Kandula , Prem K Kumar , Kalra . *Proc. Of the 9 IEEE International Conference*
on Information Technology, ICIT'06, (Of the 9 IEEE International Conference on Information Technology,
ICIT'06India)
- [Hecht-Nielsen ()] 'Counterpropagation Networks'. Hecht-Nielsen . *Applied Optics* 1987. 26 p. .
- [Donoho et al. ()] *Density estimation by wavelet thresholding*, D Donoho , I Johnstone , G Kerkyacharian , D
Picard . 1993. Stanford University (Technical Report)
- [Grgic et al.] 'Image compression using wavelets'. Sonja Grgic , Kresimir Kers , Mislav Grgic . *ISIE'99-Bled*,
(Slovenia) p. .
- [Christopher et al. (2001)] *Improving wavelet image compression with neural networks*, J C Christopher ,
Henrique S Burges , Patrice Y Malvar , Simard . MSR-TR-2001-47. August 2001. p. .
- [Hornik ()] 'Multilayer feedforward networks are universal approximators'. K Hornik . *Neural Networks* 1989. (2)
p. .
- [Rafael et al. ()] C Rafael , Richard E Gonzalez , Woods . *Digital image processing*, 2005. Pearson-Prentice Hall.
- [Morales and Shin ()] 'Wavelet coefficients clustering using morphological operations and pruned quadtrees'.
Eduardo Morales , Frank Y Shin . *Pattern Recognition* 2000. Elsevier. 33 (10) p. .
- [De Queiroz et al. (1997)] 'Wavelet transform in a JPEG-like image coder'. Ricardo De Queiroz , C K Choi ,
Young Huh , K R Rao . *IEEE Trans. On Circuit and Systems for Video Technology* April 1997. 7 p. .