

GLOBAL JOURNAL

OF COMPUTER SCIENCE AND TECHNOLOGY: C

Software & Data Engineering

Effect of Different UML

Prediction and Estimation

Highlights

Wireless Home Automation

Software Reliability Assessment

Discovering Thoughts, Inventing Future

VOLUME 15

ISSUE 8

VERSION 1.0



GLOBAL JOURNAL OF COMPUTER SCIENCE AND TECHNOLOGY: C
SOFTWARE & DATA ENGINEERING



GLOBAL JOURNAL OF COMPUTER SCIENCE AND TECHNOLOGY: C
SOFTWARE & DATA ENGINEERING

VOLUME 15 ISSUE 8 (VER. 1.0)

OPEN ASSOCIATION OF RESEARCH SOCIETY

© Global Journal of Computer Science and Technology. 2015.

All rights reserved.

This is a special issue published in version 1.0 of "Global Journal of Computer Science and Technology" By Global Journals Inc.

All articles are open access articles distributed under "Global Journal of Computer Science and Technology"

Reading License, which permits restricted use. Entire contents are copyright by of "Global Journal of Computer Science and Technology" unless otherwise noted on specific articles.

No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without written permission.

The opinions and statements made in this book are those of the authors concerned. Ultraculture has not verified and neither confirms nor denies any of the foregoing and no warranty or fitness is implied.

Engage with the contents herein at your own risk.

The use of this journal, and the terms and conditions for our providing information, is governed by our Disclaimer, Terms and Conditions and Privacy Policy given on our website <http://globaljournals.us/terms-and-condition/menu-id-1463/>

By referring / using / reading / any type of association / referencing this journal, this signifies and you acknowledge that you have read them and that you accept and will be bound by the terms thereof.

All information, journals, this journal, activities undertaken, materials, services and our website, terms and conditions, privacy policy, and this journal is subject to change anytime without any prior notice.

Incorporation No.: 0423089
License No.: 42125/022010/1186
Registration No.: 430374
Import-Export Code: 1109007027
Employer Identification Number (EIN):
USA Tax ID: 98-0673427

Global Journals Inc.

(A Delaware USA Incorporation with "Good Standing"; Reg. Number: 0423089)

Sponsors: *Open Association of Research Society*
Open Scientific Standards

Publisher's Headquarters office

Global Journals Headquarters
301st Edgewater Place Suite, 100 Edgewater Dr.-Pl,
Wakefield MASSACHUSETTS, Pin: 01880,
United States of America

USA Toll Free: +001-888-839-7392
USA Toll Free Fax: +001-888-839-7392

Offset Typesetting

Global Journals Incorporated
2nd, Lansdowne, Lansdowne Rd., Croydon-Surrey,
Pin: CR9 2ER, United Kingdom

Packaging & Continental Dispatching

Global Journals
E-3130 Sudama Nagar, Near Gopur Square,
Indore, M.P., Pin:452009, India

Find a correspondence nodal officer near you

To find nodal officer of your country, please
email us at local@globaljournals.org

eContacts

Press Inquiries: press@globaljournals.org
Investor Inquiries: investors@globaljournals.org
Technical Support: technology@globaljournals.org
Media & Releases: media@globaljournals.org

Pricing (Including by Air Parcel Charges):

For Authors:

22 USD (B/W) & 50 USD (Color)
Yearly Subscription (Personal & Institutional):
200 USD (B/W) & 250 USD (Color)

INTEGRATED EDITORIAL BOARD
(COMPUTER SCIENCE, ENGINEERING, MEDICAL, MANAGEMENT, NATURAL
SCIENCE, SOCIAL SCIENCE)

John A. Hamilton, "Drew" Jr.,
Ph.D., Professor, Management
Computer Science and Software
Engineering
Director, Information Assurance
Laboratory
Auburn University

Dr. Henry Hexmoor
IEEE senior member since 2004
Ph.D. Computer Science, University at
Buffalo
Department of Computer Science
Southern Illinois University at Carbondale

Dr. Osman Balci, Professor
Department of Computer Science
Virginia Tech, Virginia University
Ph.D. and M.S. Syracuse University,
Syracuse, New York
M.S. and B.S. Bogazici University,
Istanbul, Turkey

Yogita Bajpai
M.Sc. (Computer Science), FICCT
U.S.A. Email:
yogita@computerresearch.org

Dr. T. David A. Forbes
Associate Professor and Range
Nutritionist
Ph.D. Edinburgh University - Animal
Nutrition
M.S. Aberdeen University - Animal
Nutrition
B.A. University of Dublin- Zoology

Dr. Wenying Feng
Professor, Department of Computing &
Information Systems
Department of Mathematics
Trent University, Peterborough,
ON Canada K9J 7B8

Dr. Thomas Wischgoll
Computer Science and Engineering,
Wright State University, Dayton, Ohio
B.S., M.S., Ph.D.
(University of Kaiserslautern)

Dr. Abdurrahman Arslanyilmaz
Computer Science & Information Systems
Department
Youngstown State University
Ph.D., Texas A&M University
University of Missouri, Columbia
Gazi University, Turkey

Dr. Xiaohong He
Professor of International Business
University of Quinnipiac
BS, Jilin Institute of Technology; MA, MS,
PhD,. (University of Texas-Dallas)

Burcin Becerik-Gerber
University of Southern California
Ph.D. in Civil Engineering
DDes from Harvard University
M.S. from University of California, Berkeley
& Istanbul University

Dr. Bart Lambrecht

Director of Research in Accounting and Finance
Professor of Finance
Lancaster University Management School
BA (Antwerp); MPhil, MA, PhD
(Cambridge)

Dr. Carlos García Pont

Associate Professor of Marketing
IESE Business School, University of Navarra
Doctor of Philosophy (Management),
Massachusetts Institute of Technology (MIT)
Master in Business Administration, IESE,
University of Navarra
Degree in Industrial Engineering,
Universitat Politècnica de Catalunya

Dr. Fotini Labropulu

Mathematics - Luther College
University of Regina
Ph.D., M.Sc. in Mathematics
B.A. (Honors) in Mathematics
University of Windsor

Dr. Lynn Lim

Reader in Business and Marketing
Roehampton University, London
BCom, PGDip, MBA (Distinction), PhD,
FHEA

Dr. Mihaly Mezei

ASSOCIATE PROFESSOR
Department of Structural and Chemical
Biology, Mount Sinai School of Medical
Center
Ph.D., Eötvös Loránd University
Postdoctoral Training,
New York University

Dr. Söhnke M. Bartram

Department of Accounting and Finance
Lancaster University Management School
Ph.D. (WHU Koblenz)
MBA/BBA (University of Saarbrücken)

Dr. Miguel Angel Ariño

Professor of Decision Sciences
IESE Business School
Barcelona, Spain (Universidad de Navarra)
CEIBS (China Europe International Business School).
Beijing, Shanghai and Shenzhen
Ph.D. in Mathematics
University of Barcelona
BA in Mathematics (Licenciatura)
University of Barcelona

Philip G. Moscoso

Technology and Operations Management
IESE Business School, University of Navarra
Ph.D in Industrial Engineering and Management, ETH Zurich
M.Sc. in Chemical Engineering, ETH Zurich

Dr. Sanjay Dixit, M.D.

Director, EP Laboratories, Philadelphia VA
Medical Center
Cardiovascular Medicine - Cardiac
Arrhythmia
Univ of Penn School of Medicine

Dr. Han-Xiang Deng

MD., Ph.D
Associate Professor and Research
Department Division of Neuromuscular
Medicine
Department of Neurology and Clinical
Neuroscience
Northwestern University
Feinberg School of Medicine

Dr. Pina C. Sanelli

Associate Professor of Public Health
Weill Cornell Medical College
Associate Attending Radiologist
NewYork-Presbyterian Hospital
MRI, MRA, CT, and CTA
Neuroradiology and Diagnostic
Radiology
M.D., State University of New York at
Buffalo, School of Medicine and
Biomedical Sciences

Dr. Roberto Sanchez

Associate Professor
Department of Structural and Chemical
Biology
Mount Sinai School of Medicine
Ph.D., The Rockefeller University

Dr. Wen-Yih Sun

Professor of Earth and Atmospheric
SciencesPurdue University Director
National Center for Typhoon and
Flooding Research, Taiwan
University Chair Professor
Department of Atmospheric Sciences,
National Central University, Chung-Li,
TaiwanUniversity Chair Professor
Institute of Environmental Engineering,
National Chiao Tung University, Hsin-
chu, Taiwan.Ph.D., MS The University of
Chicago, Geophysical Sciences
BS National Taiwan University,
Atmospheric Sciences
Associate Professor of Radiology

Dr. Michael R. Rudnick

M.D., FACP
Associate Professor of Medicine
Chief, Renal Electrolyte and
Hypertension Division (PMC)
Penn Medicine, University of
Pennsylvania
Presbyterian Medical Center,
Philadelphia
Nephrology and Internal Medicine
Certified by the American Board of
Internal Medicine

Dr. Bassey Benjamin Esu

B.Sc. Marketing; MBA Marketing; Ph.D
Marketing
Lecturer, Department of Marketing,
University of Calabar
Tourism Consultant, Cross River State
Tourism Development Department
Co-ordinator , Sustainable Tourism
Initiative, Calabar, Nigeria

Dr. Aziz M. Barbar, Ph.D.

IEEE Senior Member
Chairperson, Department of Computer
Science
AUST - American University of Science &
Technology
Alfred Naccash Avenue – Ashrafieh

PRESIDENT EDITOR (HON.)

Dr. George Perry, (Neuroscientist)

Dean and Professor, College of Sciences

Denham Harman Research Award (American Aging Association)

ISI Highly Cited Researcher, Iberoamerican Molecular Biology Organization

AAAS Fellow, Correspondent Member of Spanish Royal Academy of Sciences

University of Texas at San Antonio

Postdoctoral Fellow (Department of Cell Biology)

Baylor College of Medicine

Houston, Texas, United States

CHIEF AUTHOR (HON.)

Dr. R.K. Dixit

M.Sc., Ph.D., FICCT

Chief Author, India

Email: authorind@computerresearch.org

DEAN & EDITOR-IN-CHIEF (HON.)

Vivek Dubey(HON.)

MS (Industrial Engineering),

MS (Mechanical Engineering)

University of Wisconsin, FICCT

Editor-in-Chief, USA

editorusa@computerresearch.org

Sangita Dixit

M.Sc., FICCT

Dean & Chancellor (Asia Pacific)

deanind@computerresearch.org

Suyash Dixit

(B.E., Computer Science Engineering), FICCTT

President, Web Administration and

Development , CEO at IOSRD

COO at GAOR & OSS

Er. Suyog Dixit

(M. Tech), BE (HONS. in CSE), FICCT

SAP Certified Consultant

CEO at IOSRD, GAOR & OSS

Technical Dean, Global Journals Inc. (US)

Website: www.suyogdixit.com

Email: suyog@suyogdixit.com

Pritesh Rajvaidya

(MS) Computer Science Department

California State University

BE (Computer Science), FICCT

Technical Dean, USA

Email: pritesh@computerresearch.org

Luis Galárraga

J!Research Project Leader

Saarbrücken, Germany

CONTENTS OF THE ISSUE

- i. Copyright Notice
 - ii. Editorial Board Members
 - iii. Chief Author and Dean
 - iv. Contents of the Issue
-
1. Effect of Different UML Diagrams to Evaluate the Size Metric for Different Software Projects. *1-8*
 2. Optical Wireless Home Automation System. *9-12*
 3. Prediction and Estimation of Fault Detection Process in Software Reliability Assessment. *13-17*
-
- v. Fellows and Auxiliary Memberships
 - vi. Process of Submission of Research Paper
 - vii. Preferred Author Guidelines
 - viii. Index



Effect of Different UML Diagrams to Evaluate the Size Metric for Different Software Projects

By Preety Verma Dhaka & Dr. Amita Sharma

Jayoti Vidyapeeth Women's University, India

Abstract- In Software Engineering, an important activity is measuring of the Software in different ways. For Measuring the Software, appropriate metrics are needed. Using Software metrics we are able to attain the various qualitative and quantitative aspects of Software. To measure the Software in terms of quality, size, efforts, efficiency, and reliability, performance etc. we have different metrics available in Software Engineering and it has been an area of interest for the various researchers. Measures of specific attributes of the process, project and product are used to compute Software metrics. This work proposes a similar approach of measuring software using various UML diagrams and applied Software size metric to evaluate the size of the Software. This paper discusses the proposed approach using two different case studies and their source codes. This paper discusses the different results obtained using different perspectives of the Software size metric measurements and maintainability of the Software.

Keywords: *software metrics, size metric, uml diagrams, use cases, cocomo, maintainability.*

GJCST-C Classification : *D.2.2 D.2.3*



Strictly as per the compliance and regulations of:



Effect of Different UML Diagrams to Evaluate the Size Metric for Different Software Projects

Preety Verma Dhaka^α & Dr. Amita Sharma^ο

Abstract- In Software Engineering, an important activity is measuring of the Software in different ways. For Measuring the Software, appropriate metrics are needed. Using Software metrics we are able to attain the various qualitative and quantitative aspects of Software. To measure the Software in terms of quality, size, efforts, efficiency, and reliability, performance etc. we have different metrics available in Software Engineering and it has been an area of interest for the various researchers. Measures of specific attributes of the process, project and product are used to compute Software metrics. This work proposes a similar approach of measuring software using various UML diagrams and applied Software size metric to evaluate the size of the Software. This paper discusses the proposed approach using two different case studies and their source codes. This paper discusses the different results obtained using different perspectives of the Software size metric measurements and maintainability of the Software.

Keywords: software metrics, size metric, uml diagrams, use cases, cocomo, maintainability.

I. INTRODUCTION

The objectives of this analysis square measure to create associate empirical analysis of computer code size metrics supported UML with the assistance of 2 case studies then calculate that empirical information consisting of actual values and therefore thereby showing that however the computer code size metrics are going to be derived from associate UML model via category Diagrams and the below listed interaction diagrams.

1. Activity Diagrams
2. State chart Diagrams
3. Component Diagrams
4. Collaboration Diagrams

For winding up this analysis, 2 real case studies particularly (i) Virtual category space and (ii) information Secrecy System are going to be taken for sensible analysis. The UML modeling of those systems are going to be done and therefore the computer code size metrics of those systems are going to be evaluated supported the UML models, the non-functional techniques (LOC, FP, and COCOMO-II). The metrics are going to be such UML extension mechanism then are going to be calculated with the assistance of a tool. The calculable values are going to be compared with the

particular computer code. Thus, the aim of our analysis is to judge the empirical worth sets of UML models and thereby, showing the utilization of assorted size metrics and validate their extraction procedure from UML style with the assistance of interaction diagrams.

II. EXISTING WORK

Many scientists and researchers have studied the package metrics supported UML models. And therefore have given their large contributions to the sector of analysis within the laptop sciences .A lot of labor has been done until date within the space of analysis whereas considering package metrics associated with UML style.

In their paper Tong Yi et al. [7] analyzed and compared some typical metrics for UML category diagrams from totally different viewpoints , differing types of relationships, differing types of metric values, complexity, and fragrance theoretical and empirical validation. They need tried to investigate the present well-liked metrics for UML category diagrams each on paper and by experimentation from many totally different viewpoints. The analysis shows that the majority current metrics have their shortcomings whereas being effective or economical for a few special characteristics of the system.

Li Wei dynasty et al. [8] has conferred AN empirical study of OO metrics in 2 unvaried methodes: the short-cycled agile method and therefore the long-cycled framework evolution process. They need found that OO metrics area unit effective in predicting style efforts and supply lines of code superimposed, changed, and deleted within the short-cycled agile method and ineffective in predicting identical aspects within the long-cycled framework method. This leads them to believe that OO metrics' prophetic capability is proscribed to the planning and implementation changes throughout the event iterations, not the long evolution of a longtime system in numerous releases.

Mitchell et al. [9] conferred a footing paper outlining a programmed of analysis supported the quantification of run-time parts of Java programs. Especially, we tend to adapt 2 common object-oriented metrics, coupling and cohesion, so they'll be applied at run-time. The results conferred during this paper area unit of a preliminary nature, and don't offer a excusable basis for generalization. However, she believed that they are doing offer a sign that the analysis of package

Author α : Research Scholar, Department of CS & IT Jayoti Vidyapeeth Women's University, Jaipur. e-mail: rpachori2006@gmail.com

Author ο : Assistant Professor, Dept of CS &IT, I.I.S University, Jaipur.

metrics at run-time will offer a motivating measurement of a program.

Through their paper Christodoulakis et al. [10] have derived the results on metrics employed in object orientating environments. Their survey includes a tiny low set of the foremost renowned and ordinarily applied ancient package metrics that can be applied to object-oriented programming and a group of object-oriented metrics (i.e. those designed specifically for object-oriented programming). These metrics were evaluated mistreatment existing meta-metrics further as meta-metrics derived from our studies, primarily based on the practitioner's purpose of read, and accenting pertinence in 3 totally different programming environments: Object Pascal, C++ and Java.

In this paper M. Das et al. [11] have expressed that Component-Based package Engineering (CBSE) has shown important prospects in speedy production of huge package systems with increased quality, and stress on decomposition of the built systems into purposeful or logical elements with well-defined interfaces used for communication across the elements. During this paper, a series of metrics projected by numerous researchers are analyzed, evaluated and benchmarked mistreatment many large-scale publically. A scientific analysis of the values for numerous metrics has been administrated and several other key inferences are drawn from them. Varieties of helpful conclusions are drawn from numerous metrics evaluations, which embrace inferences on quality, reusability, testability, modularity and stability of the underlying elements. The inferences area unit argued to be useful for CBSE-based package development, integration and maintenance.

Jamali [12] has expressed the central role that package development plays within the delivery and application of data technology, managers' area unit progressively that specializes in method improvement within the package development space. The main target on method improvement has inflated the demand for package measures, or metrics with that to manage the method. The necessity for such metrics is especially acute once a corporation is adopting a brand new technology that established practices have however to be developed. He has self-addressed these wants through the event and implementation of a collection of metrics for OO style.

Shaik Amjan, et al. [13] has conferred the getable and new package metrics helpful within the totally different part of the Object-Oriented package Development Life Cycle. Metrics area unit utilized by the package trade to itemize the development; operation and maintenance of package. They have conferred metrics for Object-oriented package systems. A mechanism is provided for comparison measures, that examine identical ideas in numerous ways that, and facilitating a lot of rigorous decision-making, relating to the reason of latest measures and therefore the choice

of existing measures for a selected goal of menstruation.

III. PROPOSED METHODOLOGY

This work is the UML diagrams to calculate the dimensions metrics. It's been found that existing researches specialize in the utilization CASE to be the UML diagram for analysis of the dimensions metric. Inclusion of the opposite UML diagrams in analysis method of the dimensions metric has been projected during this analysis. The whole work is being carried in following steps:

1. Taken 2 case studies and their ASCII text file because the input of this work
2. UML diagrams of the case studies has been drawn and enclosed for the evaluations of the dimensions metric
3. Meta Mil computer code is getting used to come up with the XMI document for analysis of the dimensions metric
4. Generated XMI file is employed with the Mount Rushmore State Metric tool for analysis of the metric values.
5. For comparison purpose 2 alternative size metric techniques are used i.e. Lines of Codes and performance purpose Analysis
6. After analysis of the metrics varied strategies, a chart of the all the metric values are going to be generated to indicate the results.

The proposed work shall be carried out using the following structural diagram:




Figure 1: Structural diagram of the proposed work

Unified Modeling Language (UML) is well-liked these days for capturing necessities and for describing the design of a software-intensive system. One among the UML constructs may be a use case, that diagrammatically depicts the manner within which a user can act with the system to perform one operate or one category of functions. 3 aspects of use cases are often useful as inputs to a size estimate: the quantity of use cases, the quantity of actors concerned in every use case, and therefore the variety of situations. AN actor may be a person or system that interacts with the system beneath consideration; usually, there's one actor

per use case, however typically there square measure additional. A state of affairs may be a potential outcome from exploitation the software; the quantity of situations will vary from one to thousands or millions, counting on the system and its quality.




Figure 2 : Characteristic Flow and Transformation Process Applied in UML Designing Tool

This technique may be helpful once the dimensions estimate is needed once a UML specification is completed. It may also be used as a insure of another method; if the answers from each strategies square measure similar, the analysts could have additional confidence within the result.

IV. METRICS OF SDMETRIC

Metric NumAttr: the amount of attributes within the category. The metric counts all properties no matter their kind (data kind, category or interface), visibility, quality (read solely or not), and owner scope (class-scope, i.e. static, or instance attribute). Not counted square measure genetic properties, associate degreed properties that square measure members of an association, i.e., that represents passable association ends.

Metric NumOps: the amount of operations during a category. Includes all operations within the category that square measure expressly modeled (overriding operations, constructors, destructors), no matter their visibility, owner scope (class-scope, i.e., static), or whether or not they square measure abstract or not. Genetic operations don't seem to be counted.

Metric NumPubOps: the amount of public operations during a category. This can be same as metric NumOps, however solely counts operations with public visibility. It measures the dimensions of the category in terms of its public interface.

Metric Setters: the amount of operations with a reputation beginning with 'set'. Note that this metric doesn't perpetually yield correct results. As an example, associate degree operation settle Account are going to be counted as setter methodology.

Metric Getters: the amount of operations with a reputation beginning with 'get', 'is', or 'has'. Note that this metric doesn't perpetually yield correct results. As an example, associate degree operation isolate Node are going to be counted as getter methodology.

Metric Nesting: The nesting level of the category (for inner classes). Measures however deeply a category is nested at intervals different categories. Categories not outlined within the context of another category have nesting level zero, their inner categories have nesting level one, etc. Nesting levels deeper than one square measure unusual; associate degree excessive nesting structure is troublesome to know, and may be revised.

Metric IImpl: the amount of interfaces the category implements. This solely counts direct interface realization links from the category to the interface. as an example, if a category C implements associate degree interface I, that extends another interfaces, solely interface I'll be counted, however not the interfaces that I extends (even although category c implements those interfaces, too).

Metric NOC: the amount of youngsters of the category (UML Generalization). Like export coupling, NOC indicates the potential influence a category has on the planning. If a category incorporates a sizable amount of youngsters, it should need additional testing of the strategies therein category. An outsized variety of kid categories could indicate improper abstraction of the parent category.

Metric NumDesc: the amount of descendents of the category (UML Generalization). This counts the amount of youngsters of the category, their kids, and so on.

Metric NumAnc: the amount of ancestors of the category. This counts the amount of fogeys of the category, their oldsters, and so on. If multiple inheritances don't seem to be used, the metric yields constant values as telegraphic signal.

Metric DIT: The depth of the category within the inheritance hierarchy. This can be calculated because the longest path from the category to the basis of the inheritance tree. The telegraphic signal for a category that has no oldsters is zero. A class with high telegraphic signal inherits from several categories and so harder to know. Also, categories with high telegraphic signal might not be correct specializations of all of their ascendant categories.

Metric CLD: category to leaf depth. This can be the longest path from the category to a leaf node within the inheritance hierarchy below the category.

Metric OpsInh: the amount of genetic operations. An outsized variety of kid categories could indicate particle of the parent category.

The amount of descendents of the category UML Counts the amount of youngsters of the category, their variety of ancestors of the category i.e. parents of the category, their parents, and so on. If multiple inheritances don't seem to be used, the metric yields constant values because the depth of the category

within the inheritance this can be calculated because the longest path from the basis of the inheritance tree.

The telegraphic signal for a category that has no oldsters is zero. Classes with from several categories and so is harder to know. Also, categories with high telegraphic signal might not be correct specializations of sophistication to leaf depth. This can be calculated because the ad of metric NumOps seized all ascendant categories of the category.

a) Lines of Codes

This methodology tries to assess the seemingly variety of lines of code within the finished merchandise. Clearly, associate actual count typically created only the merchandise is complete; lines of code area unit often thought-about to be inappropriate for size estimates early within the project life cycle. However, since several of the size-estimation strategies specific size in terms of lines of code, we will contemplate lines of code as a separate methodology in this it expresses the dimensions of a system in an exceedingly explicit method.

b) Function Point Analysis

Function points were developed by Albrecht (1979) at IBM as the simplest way to live the quantity of practicality in an exceedingly system. They're derived from the wants. In contrast to lines of code, that capture the dimensions of associate actual product, operate points don't relate to one thing physical however, rather, to one thing logical which will be assessed quantitatively.

IFPUG FPA: Formal methodology to live size of business applications. It introduces complexness issue for size outlined as operate of input, output, query, external input data and internal logical file. All elements area unit rated as Low, Average or High After the elements are classified together of the 5 major elements (EI's, EO's, EQ's, ILF's or EIF's), a ranking of low, average or high is allotted. For transactions (EI's, EO's, EQ's) the ranking relies upon the variety of files updated or documented (FTR's) and also the number of knowledge part sorts (DET's). For each ILF's and EIF's files the ranking relies upon record part sorts (RET's) and information part sorts (DET's). A record part sort could be a user recognizable subgroup of knowledge parts among associate ILF or EIF. A knowledge part sort could be a distinctive user recognizable, non algorithmic, field.

Each of the subsequent tables assists within the ranking method (the numerical rating is in parentheses). As an example, associate EI that references or updates a pair of File sorts documented (FTR's) and has seven information parts would be allotted a ranking of average and associated rating of four. Wherever FTR's area unit the combined variety of Internal Logical Files (ILF's) documented or updated and External Interface Files documented.

Table 1: EI Table

FTR's	DATA ELEMENTS		
	1-4	5-15	> 15
0-1	LOW	Low	Average
2	LOW	Average	High
3 or More	Average	High	High

Table 2 : Shared EO and EQ Table

FTR's	DATA ELEMENTS		
	1-5	6-19	> 19
0-1	LOW	Low	Average
2-3	LOW	Average	High
> 3	Average	High	High

Table 3 : Values for Transactions

Rating	VALUES		
	EO	EQ	EI
Low	4	3	3
Average	5	4	4
High	7	6	6

Like all components, EQ's are rated and scored. Basically, an EQ is rated (Low, Average or High) like an EO, but assigned a value like and EI. The rating is based upon the total number of unique (combined unique input and out sides) data elements (DET's) and the file types referenced (FTR's) (combined unique input and output sides). If the same FTR is used on the input and output side, then it is counted only one time. If the same DET is used on the input and output side, then it is only counted one time.

For both ILF's and EIF's the number of record element types and the number of data elements types are used to determine a ranking of low, average or high. A Record Element Type is a user recognizable subgroup of data elements within an ILF or EIF. A Data Element Type (DET) is a unique user recognizable, non recursive field on an ILF or EIF.

Table 4 : Table used to evaluate Rating of EI, EO, EQ

RET's	DATA ELEMENTS		
	1-19	20-50	> 50
1	Low	Low	Average
2-5	Low	Average	High
> 5	Average	High	High

Table 5 : Values for transactions for ILF & EIF

Rating	VALUES	
	ILF	EIF
Low	4	3
Average	5	4
High	7	6

The counts for every level of complexness for every variety of part may be entered into a table like the subsequent one. Every count is increased by the numerical rating shown to work out the rated price. The rated values on every row are summed across the table, giving a complete price for every variety of part. These

totals are then summed across the table, giving a complete price for every variety of part. These totals are then summed all the way down to reach the overall range of Unadjusted perform Points.

The value adjustment issue (VAF) relies on fourteen general system characteristics (GSC's) that rate the final practicality of the appliance being counted. Every characteristic has associated descriptions that facilitate confirm the degrees of influence of the characteristics. The degrees of influence vary on a scale of zero to 5, from no influence to robust influence. The IFPUG investigating Practices Manual provides elaborated analysis criteria for every of the GSC'S, the table below is meant to produce a summary of every GSC. Rate every issue (Fi, i=1 to14) on a scale of zero to 5:

Table 6 : General System Characteristics

F1. Does the system require reliable backup and recovery?	
F2. Are data communications required?	
F3. Are there distributed processing functions?	
F5. Will the system run in an existing, heavily utilized operational environment?	
F6. Does the system require on-line data entry?	
F7. Does the on-line data entry require the input transaction to be built over multiple screens or operations?	
F8. Are the master files updated on-line?	
F9. Are the inputs, outputs, files or inquiries complex?	
F10. Is the internal processing complex?	
F11. Is the code designed to be reusable?	
F12. Are conversion and installation included in the design?	
F13. Is the system designed for multiple installations in different organizations?	
F14. Is the application designed to facilitate change and ease of use by the user?	

Once all the fourteen GSC's are answered, they must be tabulated victimization the IFPUG price Adjustment Equation (VAF) --14

$VAF = 0.65 + [(Ci) / 100]$.i = is from one to fourteen representing every GSC.

Where: Ci = degree of influence for every General System Characteristic

The final operate purpose Count is obtained by multiplying the VAF times the Unadjusted operate purpose (UAF).

$$FP = UAF * VAF$$

Summary of advantages of operate purpose Analysis Function Points may be accustomed size software

system applications accurately. Filler is a vital element in decisive productivity (outputs/inputs).

They can be counted by totally different folks, at totally different times, to get a similar live at intervals an affordable margin of error.

Function Points are simply understood by the non technical user. This helps communicate filler data to a user or client.

Function Points may be accustomed confirm whether or not a tool, a language, associate surroundings, is additional productive in comparison with others.

c) *Cocoma-li*

The COCOMO II model makes its estimates of needed effort (measured in Person-Months – PM) based mostly totally on your estimate of the software system project's size (as measured in thousands of SLOC, KSLOC):

$$\text{Effort} = 2.94 * \text{EAF} * (\text{KSLOC})^E \quad \dots (3)$$

Where EAF is that the Effort Adjustment issue derived from the price Drivers. E Is a disciple derived from the 5 Scale Drivers. As associate example, a project with all Nominal value Drivers associated Scale Drivers would have an EAF of one.00 and exponent, E, of 1.0997. presumptuous that the project is projected to accommodates eight,000 supply lines of code, COCOMO II estimates that twenty eight.9 Person Months of effort is needed to finish it: Effort = a pair of.94 * (1.0) * (8)1.0997 = 28.9 Person-Months

d) *MAINTAINABILITY*

In engineering, maintainability is that the ease with that a product may be maintained so as to:

- isolate defects or their cause,
- correct defects or their cause,
- repair or replace faulty or worn-out elements while not having to switch still operating components,
- prevent surprising breakdowns,
- maximize a product's helpful life,
- maximize potency, dependableness, and safety,
- meet new needs,
- make future maintenance easier, or
- Cope with modified surroundings.

In some cases, maintainability involves a system of continuous improvement - learning from the past so as to boost the flexibility to take care of systems, or improve dependableness of systems supported maintenance expertise.

Software maintenance prices result from modifying your application to either support new use cases or update existing ones, at the side of the continual bug fixing when readying. The maximum amount as 70-80% of the entire possession value (TCO)

of the software system may be attributed to maintenance prices alone!

Software maintenance activities may be classified as:

- Corrective maintenance – prices thanks to modifying software system to correct problems discovered when initial reading (generally two hundredth of software system maintenance costs)
- Adaptive maintenance – prices thanks to modifying a software system resolution to permit it to stay effective in a very ever-changing business surroundings (25% of software system maintenance costs)
- Perfective maintenance – prices thanks to up or enhancing a software system resolution to boost overall performance (generally five-hitter of software system maintenance costs)
- Enhancements-prices thanks to continued innovations (generally five hundredth or additional of software system maintenance costs)
- Since maintenance prices eclipse alternative software system engineering activities by great deal, it's imperative to answer the subsequent question:

Measuring software system maintainability is non-trivial as there's no single metric to state if one application is additional rectifiable than the opposite associated there's no single tool which will analyze your code repository and supply you with a correct answer either. There's no substitute for a personality's reviewer, however even humans can't analyze the complete code repositories to grant a definitive answer. Some quantity of automation is critical.

So, however are you able to live the maintainability of your application? To answer this question let's dissect the definition of maintainability additional. Imagine you have got access to the ASCII text file of 2 applications – A and B. Let's say you furthermore may have the super human ability to match each of them in a very little span of your time. Are you able to tell, albeit subjectively, whether or not you think that one is additional rectifiable than the other? What will the adjective rectifiable imply for you once creating this comparison – suppose this for a second before we have a tendency to move?

Most software system engineers would think about some combination of testability, perceive ability and modifiability of code, as measures of maintainability. Another facet that's equally vital is that the ability to grasp the need, the “what” that's enforced by the code, the “how”. These core aspects may be lessened additional, to achieve additional insight into the maintainability of the application:

- 1) Testability – the presence of an efficient takes a look at harness; what proportion of the applying is being tested, the categories of tests (unit, integration, situation etc..) and therefore the quality of the take a look at case themselves?

- 2) Understandability – the readability of the code; are naming conventions followed? Is it self-descriptive and/or well commented? Are things (e.g., classes) doing just one factor or several things at once? Are the ways extremely long or short and might their intent be understood in a very single pass of reading or will it take an honest deal of screen staring and whiteboard analysis?
- 3) Modifiability – structural and style simplicity.
- 4) Requirement to implementation mapping and contrariwise: This data is preponderant for maintenance efforts and it should or might not exist for the applying into consideration, forcing you to reverse engineer the code and fathom the ‘what’ yourself.

Those are the four major dimensions on that one will measure maintainability. Every of the aspects will (and is) lessened additional for an additional granular comparison. These might or might not be the precise same ones that you simply thought of; however there'll be a good deal of overlap. Also, not each criterion is equally vital. For a few groups, testability might trump structural/design simplicity. That is, they'll care lots additional regarding the presence of take a look at cases (depth and breadth) than deep inheritance trees or a rather additional tightly coupled style. It's therefore important to understand that dimension of maintainability is additional important for your maintenance team once menstruation the standard of your application and perform the reviews and refactoring with those in mind.

The table below, towards the top of the article, shows a close breakdown of the on top of dimensions of maintainability and elaborates on their connectedness to menstruation the standard of the ASCII text file [2]:

Correlation with quality: what proportion will the metric relate with our notion of software system quality? It implies that almost all programs with the same price of the metric can possess the same level of quality.

Importance: however vital is that the metric and are low or high values desirable once menstruation them? The scales, in declivitous order of priority are: very vital, vital and sensible to possess

Feasibility of automatic evaluation: are things absolutely or partly automatic and what types of metrics are obtainable?

Ease of automatic evaluation: just in case of automation however simple is it to cipher the metric? Will it involve mammoth effort to line up or will or not it's plug-and-play or will it has to be developed from scratch.

Completeness of automatic evaluation: will the automation utterly capture the metric price or is it inconclusive, requiring manual intervention? Do we have a tendency to ought to verify things manually or will we directly deem the metric reportable by the tool?

Units: units/measures accustomed quantify the metric.

e) *Decision Tree*

Decision Trees are wonderful tools for serving to you to settle on between many courses of action.

They provide an extremely effective structure at intervals that you'll lay out choices and investigate the doable outcomes of selecting those choices. They additionally assist you to create a balanced image of the risks and rewards related to every doable course of action.

f) *Drawing a Decision Tree*

You start a choice Tree with a choice that you simply ought to create. Draw a tiny low sq. to represent this towards the left of an outsized piece of paper.

From this box put off lines towards the correct for every doable resolution, and write that resolution on the road. Keep the lines apart as way as doable so you'll expand your thoughts.

At the top of every line, think about the results. If the results of taking that call are unsure, draw a tiny low circle. If the result's another call that you simply ought to create, draw another sq.. Squares represent choices, and circles represent unsure outcomes. Write the choice or issue on top of the sq. or circle. If you have got completed the answer at the top of the road, simply leave it blank.

Starting from the new node on your diagram, put off lines representing the decisions you want to choose. From the circles draw lines representing doable outcomes. Once more create a short note on the road expression what it suggests that. Keep it up doing this till you have got drawn out as several of the doable outcomes and choices as you'll see leading on from the first choices.

Once you have got done this, review your tree. Challenge every sq. and circle to visualize if there are any solutions or outcomes you have got not thought of. If there are, draw them in. If necessary, draft your tree if components of it are too full or untidy. You ought to currently have an honest understanding of the doable outcomes of your choices.

V. RESULT AND DISCUSSION

Results of the Proposed UML Diagram Based Metric Calculation & Count of Operations in Actual Software. These are number of operations required in the complete package and are an indicator of the number of functions required in the project. This value is a measure of the work done and found to be accurate for both the case studies.

Table 7 : Obtained values from the processing using SD Metrics

CASE STUDY	UML DESIGN METRIC NUMOPSCLS VALUE	ACTUAL SOFTWARE OPERATIONS COUNT
DSS	1	1
VCR	12	12




Figure 3 : Graph showing comparison of the number of operations evaluated using two different methods

Table 8 : Average Permissible Error obtained from the Proposed Algorithms and Other Techniques

ALGORITHM	AVERAGE PERMISSIBLE ERROR
LOC	27.5
FPA	7.5
UML TOOLS	3.5




Figure 4 : Graph showing Average Permissible Error in Percent for the different techniques

VI. CONCLUSION

This work has been done to evaluate the result of various UML diagrams to judge the dimensions metric for the computer code comes. Size metric may be a valuable measuring in shaping the value of the computer code. During this work completely different UML diagrams like collaboration diagram, state flow chart, activity diagram, use case, element diagram area unit used along to gauge the computer code size metric. For confirmation and proof 2 alternative techniques of lines of codes (LOC) and performance

purpose analysis (FPA) are applied to live the computer code size metrics. From the results obtained from the output of American state Metric Tool, LOC and FPA, it's found that the results obtained from the inclusion of the various UML diagrams and most correct and matches with the particular computer code ASCII text file.

REFERENCES REFERENCES REFERENCIAS

1. Pressman S. Roger "Software Engineering" Sixth Edition, McGraw Hill International 2005, pg649, chap 22, ISBN : 007-124083-7.
2. Rumbaugh James, Jacobson, Ivar and Booch Grady, "The Unified Modeling Language User Guide" Second Edition 2008, pg 5, chap1, ISBN: 978-81-317-1582-6.
3. Rumbaugh James, Jacobson Ivar and Booch Grady" The Unified Modeling Language User Guide" Second Edition 2008, pg 6, chap1, ISBN: 978-81-317-1582-6.
4. Rumbaugh James, Jacobson Ivar and Booch Grady" The Unified Modeling Language User Guide" Second Edition 2008, ISBN: 978-81-317-1582-6.
5. <http://www.uml.org>
6. Jacobson Magnus Christerson , Patrick Jonsson ,Gunnar Overgaard" Object-oriented Software Engineering" 2008, pg 66, chap3, isbn: 81-317-0408-4.
7. Yi Tong et. al, "A Comparison of Metrics for UML Class Diagrams" ACM SIGSOFT Software Engineering Notes Page 1, September 2004, Volume 29 .
8. Li Wei et .al, "An Empirical Validation of Object-Oriented Metrics in Two Different Iterative Software Processes" IEEE Transactions On Software Engineering , November 2003 ,Volume 29 NO. 11, 1043.
9. Mitchell Aine et. al, "Toward a definition of run-time object-oriented metrics" 7TH ECOOP Workshop on Quantitative Approaches in Object-Oriented Software Engineering , 2003.
10. Xenos M. et al., "Object-oriented metrics – a survey" Proceedings of the FESMA 2000, Federation of European Software Measurement Associations, Madrid, Spain, 2000.
11. arasimhan Lakshmi.V et.al, " Evaluation of a Suite of Metrics for Component Based Software Engineering (CBSE)" Issues in Informing Science and Information Technology Volume 6, 2009.
12. Shaik Amjan et.al," Metrics for Object Oriented Design Software Systems: A Survey" Journal of Emerging Trends in Engineering and Applied Sciences (JETEAS) 1 (2): 190-198 c, 2010.
13. Jahan Vafaei et.al , " A New Method Software Size Estimation based on UML Metrics".
14. Chen Yue , Boehm Barry et.al , "An Empirical Study of eServices Product UML Sizing Metrics.
15. Linda Edith P et. al , " Metrics for Component based Measurement Tools", International Journal of Science & Engineering ,Research Volume 2, Issue 5, May -2011
16. Subramanyam Ramanath et al, "Empirical Analysis of CK Metrics for Object-oriented Design Complexity: Implications for Software Defects", IEEE Transactions on Software Engineering , Vol. 29. NO.4 , April 2003.
17. Tegarden P. David et al., "Effectiveness of Traditional Software Metrics for Object-Oriented Systems"
18. Doban Orysolya et. al , "Cost Estimation Driven Software Development Process"
19. Lavazza Luigi et al ., "Using Function Point in the Estimation of Real-Time Software: an Experience", Proceedings 5th Software Measurement European Forum, Milan 2008.
20. Chidamber et al., "Managerial use of metrics for Object-oriented software: an exploratory analysis", IEEE



Optical Wireless Home Automation System

By Moha'med Al-Jaafreh, Tahseen Al-Ramadin, Malek Al-Ksasbeh
& Ahmed Saidan

Al-Hussien Bin Talal University, Jordan

Abstract- Home Automation increases safety, time- saving and right resources utilization and deploys software engineering holistic view through achieving high quality and cost effectiveness. This article presents an Optical Wireless Home Automation System that allows the user to control home appliances by using Android application, mobile phones and optical hardware. The implementation of this project is achieved by using combination of Android platform, internet network and new technology for home Automation (optical hardware development). The results of the system are shown sequentially. The demonstration of the system is able to execute accurately and efficiently based on the real-time information. In nutshell, this project is feasible and suitable to further develop with the increasing needs on home automation system.

Keywords: android, network, mobile phone, optical, safety and wireless.

GJCST-C Classification : C.2.1 K.4.3



OPTICAL WIRELESS HOME AUTOMATION SYSTEM

Strictly as per the compliance and regulations of:



RESEARCH | DIVERSITY | ETHICS

Optical Wireless Home Automation System

Moha'med Al-Jaafreh ^α, Tahseen Al-Ramadin ^σ, Malek Al-Ksasbeh ^ρ & Ahmed Saidan ^ω

Abstract- Home Automation increases safety, time- saving and right resources utilization and deploys software engineering holistic view through achieving high quality and cost effectiveness. This article presents an Optical Wireless Home Automation System that allows the user to control home appliances by using Android application, mobile phones and optical hardware. The implementation of this project is achieved by using combination of Android platform, internet network and new technology for home Automation (optical hardware development). The results of the system are shown sequentially. The demonstration of the system is able to execute accurately and efficiently based on the real-time information. In nutshell, this project is feasible and suitable to further develop with the increasing needs on home automation system.

Keywords: android, network, mobile phone, optical, safety and wireless.

I. INTRODUCTION

Safety, assistance of disability, time saving, comfort, speed, prestige, right resources utilization and other deserts are achieved by using *Optical Wireless Home Automation System* (OWHAS). Through this research paper OWHAS is presented in detailed moreover importance and usability of OWHAS is shown.

Importance of Home Automation is discussed since 1898 by Tesla who invites remote control [1] then Tesla's idea is developed to be used in different fields; such as Home automation by Faris who originated modern home automation in Chicago and New York in 1934. In 1966 Jim Sutherland developed a home automation system called "ECHO IV" [2].

Recently, many systems had been developed by utilizing available facilities and technologies for Home Automation industry; such as:

1. Home Automation System (HAS) which is synthesized by Panth and Jivani for mobile phones having Android. HAS system uses an 8 bit Bluetooth interfaced microcomputer to control many home appliances [3].
2. Bluetooth Remote Home Automation System Using Android Application which is structured by Ramlee and his team to help an elderly and disabled in home; they implement wireless Bluetooth technology for providing remote access from mobile phone or laptop [4].

3. Singh, Pal and Ria developed a GSM Based Home Automation, Safety and Security System Using Android Mobile Phone; their system controls home appliances by using combination of five parts: mobile device as controller, mobile device as receiver, microcontroller as signal detector, relay model to connect with home appliances and sensors. All complicated five parts are integrated to control home appliances [5].
4. Yuan and his Colleagues designs family security system platform which including indoor monitoring platform, android mobile phone monitoring and web server monitoring. The system can monitor the real-time security situation in the house and the system has the ability to view real-time data, the historical data can be recalled at any time for system and user to determine if any warning happened [6].

OWHAS is combination of three parts; firstly, Android platform on mobile phone secondly internet network to connect two mobile phones one as controller with the user and second phone as receiver at home thirdly

OWHAS controls home appliances, based on user instructions, by using new uncoupled and maintainable technology; optical hardware.

OWHAS framework will be explained in next section, then results of real OWHAS prototype will be illustrated and discussed in section three, finally, OWHAS will be concluded with researchers future work.

II. OWHAS FRAMEWORK

The Architecture of OWHAS as illustrated in Fig.1, OWHAS based on two mobile devices; controller with user and receiver at home. The controller device sends commands based on Android program through internet to the receiver device that processes the command by another Android program and converts it to light signal that detected by optical hardware to control triggered home appliance; therefore, OWHAS based on three subsystems:

Author ^{α σ ρ ω}: Al-Hussien Bin Talal University.
e-mails: mjaafreh@ahu.edu.jo, tahsenr@yahoo.com, malksasbeh@gmail.com, ahmad.k.saidan@gmail.com




Fig.1: Owhas framework consists of transmitter mobile, receiver mobile and optical hardware

a) *Android mobile platform*

The Controller of OWHAS is programmed on an Android platform. The choosing of Android platform is based on the portability and mobility of Android; which is installed in many mobile phones. Also programs of

Android are written based on Java programming languages so they do not have high complexity. In Addition, Android are compatible with many communication networks (Wireless, Bluetooth, internet, GSM and others) [7]. These reasons support and structure the suitability of Android Platform as a controller of OWHAS.

OWHAS controller consists of: firstly, Transmitter mobile, that is used by a remote user, has Android program which presents a user interface screen as shown in Fig. 2 a.

As illustrated on "Remote user interface screen"; there is a list of home appliances in the right side and a list of "Turn on" buttons. In addition, when specified appliance is turned on by remote user the "Turn on" button is disabled on the "Remote user interface screen", then the "Turn on" button is enabled when a user refresh the "Remote user interface" screen.

The second part of OWHAS controller is a receiver mobile; which has Android program that presents a black, white screen with white part, where the photo sensor of that specified appliance is connected on the optical hardware, as shown in Fig. 2 b; which will be explained in optical hardware part.




Fig.2 : a. "Remote user interface" screen (transmitter), b. "Light interface" screen (receiver)

b) *Internet network*

The transmitter mobile and receiver mobile is connected by internet network. Internet connection is preferred for availability, distance flexibility, efficiency and usability for different purposes [8].

Fundamentally, Internet connection is available in almost mobile phones, and no need for new hardware or software to be installed in mobile phone to access

internet, moreover Internet network cancels the distance between transmitter and receiver and it also produces wireless advantage for different applications. Likewise, the user may use internet for other technologies besides this technology (OWHAS).

c) *Optical Hardware*

The receiver mobile is not connected directly to home appliances to remove the coupling problems and

to increase system maintainability and usability. This facility can be achieved by using new technology for n\Home Automation industry; optical hardware as trigger for controlled appliances. Fig. 3 shows a prototype of optical hardware [9].




Fig. 3 : Prototype of optical hardware

Optical hardware consists of ordinary photo sensor; which detects light and become as short circuit. Therefore, the photo sensor triggers specific home appliance. Moreover, as prototyping, each controlled home appliance is represented by Light Emitting Diode (LED) as illustrated in Fig. 3.

The interaction between these three parts will be discussed and explained in next section.

III. OWHAS IMPLEMENTATION

OWHAS Sub-models that are presented in section II are integrated to construct executable OWHAS. Procedural steps of utilizing OWHAS are illustrated as prototype on Fig. 4.




Fig.4: Implementation of OWHAS

OWHAS user turns on any of controlled home appliances by pressing the "turn on" button on the "Remote user interface screen"; that illustrated on Fig.2 then a specified message will be sent to receiver mobile through Internet network, this message converts part of black screen to white part on the receiver mobile. The generated light of white part screen will be detected by photo sensor to trigger the specified home appliance; which is represented by a Light Emitting Diode (LED).

IV. CONCLUSION AND FUTURE WORK

In conclusion, The clarification of Optical Wireless Home Appliances System has been presented. This system controls home appliances from any place that has Global System for Mobile (GSM) coverage and the maintainability of adding or removing as much appliances as customer expect is very simple.

OWHAS prototype, as shown in Fig. 4, is only for demonstration and testing but for future work OWHAS will be developed to reach high user expectations by converting prototype as shown in Fig. 3 to printed board, using colored screen for Receiver mobile instead of black-white screen so the ordinary photo sensors will be replaced by colored photo sensors to allow user to control home appliances' numbers and adopting any practical suggestion of customers.

REFERENCES REFERENCES REFERENCES

1. Tesla, Nikola, 1898, U.S. Patent 613809: Method of and apparatus for controlling mechanism of moving vessels and vehicles, United States Patent and Trademark Office.
2. Gerhart, James, 1999, Home Automation and Wiring. Mc Graw Hill Professional. ISBN 0070 246742.
3. Sharon Panth, Mahesh Jivani, 2013, "Home Automation System (HAS) using Android for Mobile Phone". International Journal of Electronics and Computer Science Engineering.
4. R.A.Ramlee, M.H.Leong, R.S.S.Singh, M.M.Ismail, M.A.Othman, H.A.Sulaiman, M.H.Misran, M.A.Meor Said, 2013, " Bluetooth Remote Home Automation System Using Android Application. The International Journal of Engineering And Science (IJES), Volume 2 Issue 1, Pages 149-153.
5. Akanksha Singh, Arijit Pal and Bijay Rai, 2015, "GSM Based Home Automation, Safety and Security System Using Android Mobile Phone", International Journal of Engineering Research & Technology (IJERT), Vol. 4 Issue 05.
6. Yuan Yuan, Hao Zhang , Wei Shen, 2015, "Design and implementation of Android phones-based home security system" , 2nd International Conference on Electrical, Computer Engineering and Electronics (ICECEE).

7. S.J. Scott, 2014, "115 Productivity Apps to Maximize Your Time: Apps for iPhone, iPad, Android, Kindle Fire and PC/iOS Desktop Computers", eBook. ASIN: B00NPDJW7Q.
8. Alireza Salehi Nejad, 2014, "Fundamentals of Computer Networks", Create Space Independent Publishing Platform.
9. Jose Luis Santos and Faramarz Farahi, 2015 "Handbook of Optical Sensors", CRC Press Taylor & Francis Group.





Prediction and Estimation of Fault Detection Process in Software Reliability Assessment

By K. Venkata Subba Reddy & Prof. I. Ramesh Babu

Acharya Nagarjuna University, India

Abstract- Developing high-quality reliability models is one of the key concerns in the domain of software reliability. The enhanced software reliability model ought to give superior predictions of upcoming malfunction manners, calculate helpful quantities and be extensively relevant. Hence, an extremely significant purpose of existing software reliability study is to build up broad prediction models, for a software supervisor, it is imperative to be capable to foretell the upcoming performance of the fault discovery and rectification procedure. The forecast is imperative for the allotment of additional testing assets and for the learning of software release troubles. No solitary step only is ample to decide the most excellent constraint assessment technique on a specified dataset. In reality, software supervisors would have a preference to observe steadily minor proportion of the data forecasted, as the more the testing procedure runs, the extra costly it becomes. In this direction, this paper key center is to provide high-quality forecasts to evaluation procedures for software testing.

Keywords: *software testing, software reliability, maximum likelihood.*

GJCST-C Classification : *D.2.4 D.4.8 D.2.9*



Strictly as per the compliance and regulations of:



Prediction and Estimation of Fault Detection Process in Software Reliability Assessment

K. Venkata Subba Reddy^a & Prof. I. Ramesh Babu^o

Abstract- Developing high-quality reliability models is one of the key concerns in the domain of software reliability. The enhanced software reliability model ought to give superior predictions of upcoming malfunction manners, calculate helpful quantities and be extensively relevant. Hence, an extremely significant purpose of existing software reliability study is to build up broad prediction models, for a software supervisor, it is imperative to be capable to foretell the upcoming performance of the fault discovery and rectification procedure. The forecast is imperative for the allotment of additional testing assets and for the learning of software release troubles. No solitary step only is ample to decide the most excellent constraint assessment technique on a specified dataset. In reality, software supervisors would have a preference to observe steadily minor proportion of the data forecasted, as the more the testing procedure runs, the extra costly it becomes. In this direction, this paper key center is to provide high-quality forecasts to evaluation procedures for software testing.

Keywords: software testing, software reliability, maximum likelihood.

I. INTRODUCTION

Software reliability is the analysis and modeling to explain fault-related behaviors of software testing procedure, which usually encompasses fault rectification and discovery. In this paper, the research is mainly depending on conventional SRGMs, and the aim is to additionally develop models with more realistic assumptions. Conventional SRGMs mull over the fault discovery procedure only but not focal point on the rectifying procedures, typically assuming that the fault discovered is rectified instantly, whilst in actuality, it is not always that case.

Defective rectification subject has been deliberated at length in [1], nevertheless, comparatively a smaller amount of investigation has been conducted to fit in fault rectification procedure into software reliability models. In fact, the time needed for fault rectification and could not be dumped in software testing practice. For every discovered fault, it has to be analyzed first and then noted, eliminated and

established before it can be documented as rectified. Additionally, the fault rectification time is a significant aspect for various vital verdict investigations [2].

According to IEEE an error/fault is an individual inaccuracy, which generates an erroneous result. The manifestation of an error leads to a software fault which, in turn, results into a software malfunction that, translates into an incapability of the structure or constituent to implement its obligatory functions contained by precise necessities. A flaw or a defect is measured to be matching to a fault [3] even though it is a word more familiar in systems and hardware engineering [6]. In this proposal, the word fault is linked with errors at the coding stage. These mistakes are found during testing at unit and system levels. Although the anomalies reported during system testing can be termed as failures, we remain determined by using the term fault since it is expected that all the reported anomalies are tracked down to the coding level. Moreover by fault we refer to are pre-release faults, an approach similar to the one taken by Fenton and Ohlsson [3]. Software fault forecast models fit in to the category of quality evaluation models. These models are used for objective assessments and problem-area identification [7], thus enabling dual improvements of both product and process. Prolongation of software faults is frequently taken to be an important issue in software quality, a factor that shows generally nonexistence of superiority [5]. A fault forecast model makes use of previous software quality information in the shape of software metrics to forecast the number of faults in a constituent or release of a software system [4]. There are diverse categories of software fault forecast models planned in software authentication and substantiation text, all of them with the objective of accurately quantifying software quality. From a holistic point of view, fault-prediction studies can be categorized as making use of traditional (statistical regression) and machine learning (ML) approaches. (The use of machine learning approaches for fault prediction modeling is more recent [8].)


MLE method is an extremely popular estimation approach having numerous preferred features such as acceptability, sturdiness, asymptotic routine and fidelity, and extensively used to approximate the parameters for SRGMs [9]. In this paper, we mull over the subject of implementing the MLE technique to the fault discovery

Author: Assistant Professor, Department of Computer Science and Engineering Muffakham Jah College of Engineering and Technology Hyderabad, Telangana, India. e-mail: kvsreddy2012@gmail.com

Author: Professor, Department of Computer Science and Engineering Acharya Nagarjuna University, India, Guntur, Andhra Pradesh, India. e-mail: rinampudi@hotmail.com

and rectification modeling from hypothetical and investigational dimensions.

Figure 1: The Relationship amid the Fault Detection Methods



II. MAXIMUM LIKELIHOOD ESTIMATION (MLE)

a) Point Estimation

There are some unknown parameters in the paired model and the estimation is carried out using least squares approach. This chapter focuses on discussing the analysis and modeling using MLE approach. To model the fault discovery procedure in software testing mull over a arbitrary sample d_1, d_2, \dots, d_r wherein d_i represents the number of discovered

faults in time period $[S_{i-1}, S_i], S_i, i \geq 0$ are the running times from the beginning of testing and m_d is the mean value function of the fault detection model at time S_i and Θ represents the parameters in the model. The collective number of faults exposed up to the time t is implicit to be NHPP. With autonomous increments, hence $d_i, i \geq 0$ are sovereign from each other. The joint density of the exposed fault counts over the specified division can be accomplished, and the possibility function can be built.

$$L(d_1, \dots, d_k | \theta) = \prod_{i=1}^k e^{-[m_d(s_i)|\theta - m_d(s_{i-1})|\theta]} (m_d(s_i)|\theta - m_d(s_{i-1})|\theta) / d_i! \tag{1}$$

$$\lambda_c(t) = E[\lambda_d(t - \Delta)] = \int_0^t \lambda_d(t - x) \cdot f(x) dx \tag{2}$$

And the mean value function

$$m_c(t) = \int_0^t \lambda_c(t) dt = \int_0^t E[\lambda_d(t - \Delta)] dt \tag{3}$$

Therefore, if by time t_i we have corrected m_i faults, we can say that by time $t_i - \Delta$ we have detected m_i faults, if the delay time is fixed. If there are faults detected during $t_{i-1} \in (t_i - \Delta, t_i)$, then $t_{i-1} > (t_i - \Delta_i) \leftrightarrow m_i < n_{i-1}$, what we have discussed in our likelihood function expression. Representing n_i and m_i as the collective number of faults discovered and the altered by time t_i correspondingly and $n_0 = m_0 = 0$. Presuming

the fault discovery procedure is NHPP we can say that n_i based on m_i . Represent $P(n_i, m_i)$ as the possibility of discovering n_i faults and altering m_i faults by time t_i . $P_d(\cdot)$ as the likelihood distribution function for discovery procedure and $P_c(\cdot)$ as the likelihood distribution procedure for refinement procedure. Thus the likelihood of finding n_i faults and rectifying m_i faults by time t_i at each step it can be notified as

$$P(n_i, m_i | n_{i-1}, m_{i-1}, \theta_0) = P(n_i | m_i, n_{i-1}, \theta_0) P(m_i | n_{i-1}, m_{i-1}, \theta_0) \tag{4}$$

$$\begin{cases} p_d(n_i - m_i, [t_{i-\Delta_i}, t_i], \theta_0) p_d(m_i - n_{i-1}, [t_{i-1}, t_{i-\Delta_i}], \theta_0) & \text{if } t_{i-1} \leq t_i - \Delta_i \\ p_d(n_i - n_{i-1}, [t_{i-1}, t_i], \theta_0) p_d(m_i - m_{i-1}, [t_{i-1}, t_i], \theta_0) & \text{if } t_{i-1} > t_i - \Delta_i \end{cases}$$

The likelihood function in this case is defined as this joint density, with θ_0 replaced by θ , simplifying the above equation we get:

$$L = f(n_i, m_i, i = 1, 2 \dots k | \theta) = \prod_{i=1}^k e^{-[m_d(t_i)|\theta - m_d(t_{i-1})|\theta]} \frac{[m_d(t_i)|\theta - m_c(t_{i-1})|\theta]^{(n_i - m_i)}}{(n_i - m_i)!} \frac{[m_c(t_i)|\theta - m_d(t_{i-1})|\theta]^{(m_i - n_{i-1})}}{(m_i - n_{i-1})!} \tag{5}$$

Once the guesses of all the parameters are accomplished, the invariance feature of the MLEs can be used to guess other reliability events by replacing the pertinent parameters in accordance with their corresponding ML estimates. An instance is the inference of the failure intensity function. [11] Assumed that the failure rate of the software at time T was a function of the elementary parameters of the G-O model, and its ML approximation was steady.

III. EXPERIMENTAL RESULTS

We use the proposed fault detection and correction models to model an authentic data set

attained from the testing procedure of a medium-sized software project, and then relate the planned MLE method to guesstimate the parameters within the model. Dissimilar from conventional software reliability dataset, this dataset encompasses not only fault discovery data but also fault rectification data. Nevertheless, there is no tag data that notifies when a definite fault is rectified, and only collective data on the number of faults per week is accessible. Typically, software reliability models are related at the later stage of testing, and connected study will be rationalized with recently composed data.

Table 1: Fault Detection and Rectification Data

Week(t)	$\Delta d(t)$	$d(t)$	$\Delta c(t)$	$c(t)$
1	12	12	3	4
2	11	24	1	3
3	20	43	9	12
4	21	64	20	32
5	20	84	21	53
6	12	95	25	78
7	12	109	11	89
8	2	111	9	98
9	1	112	9	107
10	2	114	2	108




Figure 1: Performance Analysis of Fault Correction in a Period of Time




Figure 2.a: Performance Analysis of Exponential Delay Estimator in a Period of Time




Figure 2.b: Performance Analysis of Normal Delay Estimator in a Period of Time

Table 2 : Good of Fit for Dissimilar Delay Algorithms

Model	Estimation	MSE
Exponential time delay	$\hat{a} = 165$ $\hat{b} = 0.125$ $\hat{\mu} = 1.63$	$mse_d = 55.02$ $mse_c = 135.92$ $mse = 94$
Normally distributed delay	$\hat{a} = 176$ $\hat{b} = 0.1$ $\hat{\mu} = 0.53$ $\hat{\sigma} = 0.1$	$mse_d = 82.32$ $mse_c = 103.82$ $mse = 93.11$
Gamma time delay	$\hat{a} = 166$ $\hat{b} = 0.12$ $\hat{\alpha} = 0.53$ $\hat{\beta} = 0.1$	$mse_d = 55.13$ $mse_c = 140.82$ $mse = 97.81$

Table 3 : Performance analysis of MLE and LSE in terms of MRE

MRE criterion	Prediction with MLE	Prediction with LSE
Fault Detection	0.025	0.055
Fault Correction process	0.027	0.025
Overall MRE	0.026	0.039

IV. CONCLUSION

MLE based fault detection and correction analysis with different estimation approaches are presented in this paper. From the experimental analysis, the exponential delay estimator proves to be the best suited to be good for fit approach. The trial is conducted on the data set which is composed from real time software project and tested on MLS and compared against the conventional LSE approaches.

REFERENCES REFERENCES REFERENCIAS

- Xie, M. and Yang, B., 2003, 'A study of the effect of imperfect debugging on software development cost', *IEEE Transactions on Software Engineering* vol. 29, no. 5, pp. 471- 473.
- Stutzke, M. A. and Smidts, C. S., 2001, 'A stochastic model of fault introduction and removal during software development', *IEEE Transactions on Reliability*, vol. 50, pp.184-193.
- N. E. Fenton and N. Ohlsson. Quantitative analysis of faults and failures in a complex software system. *IEEE Transactions on Software Engineering*, 26(8):797–814, 2000
- T. M. Khoshgoftaar and N. Seliya. Tree-based software quality estimation models for fault prediction. In *Proceedings of the 8th International Symposium on Software Metrics (METRICS'02)*, Washington, DC, USA, 2002. IEEE Computer Society.
- K. Henningsson. A fault classification approach to software process improvement. Blekinge Institute of Technology Licentiate Series No. 2005:03, Ronneby, Sweden, 2005.
- Standards Coordinating Committee of the Computer Society of the IEEE, IEEE Standards Board, The Institute of Electrical and Electronic Engineers, Inc. New York, USA. IEEE standard glossary of software engineering terminology – IEEE std 610.12-1990, 1990.
- J. Tian. Quality-evaluation models and measurements. *IEEE Software*, 21(3):84–91, 2004.
- D. Zhang and J. J. P. Tsai. Machine learning and software engineering. *Software Quality Control*, 11(2):87–119, 2003.
- Yamada, S., Ohba, M. and Osaki, S., 1984a, 'S-shaped software reliability growth models and their applications', *IEEE Transactions on Reliability*, vol. R-33, no. 4, pp. 289-292.
- Schneidewind, N. F., 2001, 'Modeling the fault correction processes', *Proceedings of the 12th International Symposium on Software Reliability Engineering*, pp. 185-190.
- Jeske, D.R. and Pham, H., 2001, 'On the maximum likelihood estimates for the Goel,-Okumoto software reliability model', *The American Statistician*, vol. 55, no. 3, pp. 219-222.
- Xie, M., 1991, *Software reliability modeling*, World Scientific, Singapore.

GLOBAL JOURNALS INC. (US) GUIDELINES HANDBOOK 2015

WWW.GLOBALJOURNALS.ORG

FELLOWS

FELLOW OF ASSOCIATION OF RESEARCH SOCIETY IN COMPUTING (FARSC)

Global Journals Incorporate (USA) is accredited by Open Association of Research Society (OARS), U.S.A and in turn, awards “FARSC” title to individuals. The 'FARSC' title is accorded to a selected professional after the approval of the Editor-in-Chief/Editorial Board Members/Dean.



- The “FARSC” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSC or William Walldroff, M.S., FARSC.

FARSC accrediting is an honor. It authenticates your research activities. After recognition as FARSC, you can add 'FARSC' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and repute to your name. You may use it on your professional Counseling Materials such as CV, Resume, and Visiting Card etc.

The following benefits can be availed by you only for next three years from the date of certification:



FARSC designated members are entitled to avail a 40% discount while publishing their research papers (of a single author) with Global Journals Incorporation (USA), if the same is accepted by Editorial Board/Peer Reviewers. If you are a main author or co-author in case of multiple authors, you will be entitled to avail discount of 10%.

Once FARSC title is accorded, the Fellow is authorized to organize a symposium/seminar/conference on behalf of Global Journal Incorporation (USA). The Fellow can also participate in conference/seminar/symposium organized by another institution as representative of Global Journal. In both the cases, it is mandatory for him to discuss with us and obtain our consent.



You may join as member of the Editorial Board of Global Journals Incorporation (USA) after successful completion of three years as Fellow and as Peer Reviewer. In addition, it is also desirable that you should organize seminar/symposium/conference at least once.

We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.






Journals Research
inducing researches

The FARSC can go through standards of OARS. You can also play vital role if you have any suggestions so that proper amendment can take place to improve the same for the benefit of entire research community.

As FARSC, you will be given a renowned, secure and free professional email address with 100 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.



The FARSC will be eligible for a free application of standardization of their researches. Standardization of research will be subject to acceptability within stipulated norms as the next step after publishing in a journal. We shall depute a team of specialized research professionals who will render their services for elevating your researches to next higher level, which is worldwide open standardization.

The FARSC member can apply for grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A. Once you are designated as FARSC, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria. After certification of all your credentials by OARS, they will be published on your Fellow Profile link on website <https://associationofresearch.org> which will be helpful to upgrade the dignity.



The FARSC members can avail the benefits of free research podcasting in Global Research Radio with their research documents. After publishing the work, (including published elsewhere worldwide with proper authorization) you can upload your research paper with your recorded voice or you can utilize chargeable services of our professional RJs to record your paper in their voice on request.

The FARSC member also entitled to get the benefits of free research podcasting of their research documents through video clips. We can also streamline your conference videos and display your slides/ online slides and online research video clips at reasonable charges, on request.





The FARSC is eligible to earn from sales proceeds of his/her researches/reference/review Books or literature, while publishing with Global Journals. The FARSC can decide whether he/she would like to publish his/her research in a closed manner. In this case, whenever readers purchase that individual research paper for reading, maximum 60% of its profit earned as royalty by Global Journals, will be credited to his/her bank account. The entire entitled amount will be credited to his/her bank account exceeding limit of minimum fixed balance. There is no minimum time limit for collection. The FARSC member can decide its price and we can help in making the right decision.

The FARSC member is eligible to join as a paid peer reviewer at Global Journals Incorporation (USA) and can get remuneration of 15% of author fees, taken from the author of a respective paper. After reviewing 5 or more papers you can request to transfer the amount to your bank account.



MEMBER OF ASSOCIATION OF RESEARCH SOCIETY IN COMPUTING (MARSC)

The ' MARSC ' title is accorded to a selected professional after the approval of the Editor-in-Chief / Editorial Board Members/Dean.

The "MARSC" is a dignified ornament which is accorded to a person's name viz. Dr. John E. Hall, Ph.D., MARSC or William Walldroff, M.S., MARSC.



MARSC accrediting is an honor. It authenticates your research activities. After becoming MARSC, you can add 'MARSC' title with your name as you use this recognition as additional suffix to your status. This will definitely enhance and add more value and repute to your name. You may use it on your professional Counseling Materials such as CV, Resume, Visiting Card and Name Plate etc.

The following benefits can be availed by you only for next three years from the date of certification.



MARSC designated members are entitled to avail a 25% discount while publishing their research papers (of a single author) in Global Journals Inc., if the same is accepted by our Editorial Board and Peer Reviewers. If you are a main author or co-author of a group of authors, you will get discount of 10%.

As MARSC, you will be given a renowned, secure and free professional email address with 30 GB of space e.g. johnhall@globaljournals.org. This will include Webmail, Spam Assassin, Email Forwarders, Auto-Responders, Email Delivery Route tracing, etc.





We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.

The MARSC member can apply for approval, grading and certification of standards of their educational and Institutional Degrees to Open Association of Research, Society U.S.A.



Once you are designated as MARSC, you may send us a scanned copy of all of your credentials. OARS will verify, grade and certify them. This will be based on your academic records, quality of research papers published by you, and some more criteria.

It is mandatory to read all terms and conditions carefully.



AUXILIARY MEMBERSHIPS

Institutional Fellow of Open Association of Research Society (USA)-OARS (USA)

Global Journals Incorporation (USA) is accredited by Open Association of Research Society, U.S.A (OARS) and in turn, affiliates research institutions as “Institutional Fellow of Open Association of Research Society” (IFOARS).



The “FARSC” is a dignified title which is accorded to a person’s name viz. Dr. John E. Hall, Ph.D., FARSC or William Walldroff, M.S., FARSC.

The IFOARS institution is entitled to form a Board comprised of one Chairperson and three to five board members preferably from different streams. The Board will be recognized as “Institutional Board of Open Association of Research Society”-(IBOARS).

The Institute will be entitled to following benefits:



The IBOARS can initially review research papers of their institute and recommend them to publish with respective journal of Global Journals. It can also review the papers of other institutions after obtaining our consent. The second review will be done by peer reviewer of Global Journals Incorporation (USA) The Board is at liberty to appoint a peer reviewer with the approval of chairperson after consulting us.

The author fees of such paper may be waived off up to 40%.

The Global Journals Incorporation (USA) at its discretion can also refer double blind peer reviewed paper at their end to the board for the verification and to get recommendation for final stage of acceptance of publication.



The IBOARS can organize symposium/seminar/conference in their country on behalf of Global Journals Incorporation (USA)-OARS (USA). The terms and conditions can be discussed separately.


The Board can also play vital role by exploring and giving valuable suggestions regarding the Standards of “Open Association of Research Society, U.S.A (OARS)” so that proper amendment can take place for the benefit of entire research community. We shall provide details of particular standard only on receipt of request from the Board.



Journals Research
inducing researches

The board members can also join us as Individual Fellow with 40% discount on total fees applicable to Individual Fellow. They will be entitled to avail all the benefits as declared. Please visit Individual Fellow-sub menu of GlobalJournals.org to have more relevant details.

We shall provide you intimation regarding launching of e-version of journal of your stream time to time. This may be utilized in your library for the enrichment of knowledge of your students as well as it can also be helpful for the concerned faculty members.



After nomination of your institution as “Institutional Fellow” and constantly functioning successfully for one year, we can consider giving recognition to your institute to function as Regional/Zonal office on our behalf.

The board can also take up the additional allied activities for betterment after our consultation.

The following entitlements are applicable to individual Fellows:

Open Association of Research Society, U.S.A (OARS) By-laws states that an individual Fellow may use the designations as applicable, or the corresponding initials. The Credentials of individual Fellow and Associate designations signify that the individual has gained knowledge of the fundamental concepts. One is magnanimous and proficient in an expertise course covering the professional code of conduct, and follows recognized standards of practice.



Open Association of Research Society (US)/ Global Journals Incorporation (USA), as described in Corporate Statements, are educational, research publishing and professional membership organizations. Achieving our individual Fellow or Associate status is based mainly on meeting stated educational research requirements.

Disbursement of 40% Royalty earned through Global Journals : Researcher = 50%, Peer Reviewer = 37.50%, Institution = 12.50% E.g. Out of 40%, the 20% benefit should be passed on to researcher, 15 % benefit towards remuneration should be given to a reviewer and remaining 5% is to be retained by the institution.



We shall provide print version of 12 issues of any three journals [as per your requirement] out of our 38 journals worth \$ 2376 USD.

Other:

The individual Fellow and Associate designations accredited by Open Association of Research Society (US) credentials signify guarantees following achievements:

- The professional accredited with Fellow honor, is entitled to various benefits viz. name, fame, honor, regular flow of income, secured bright future, social status etc.




- In addition to above, if one is single author, then entitled to 40% discount on publishing research paper and can get 10% discount if one is co-author or main author among group of authors.
- The Fellow can organize symposium/seminar/conference on behalf of Global Journals Incorporation (USA) and he/she can also attend the same organized by other institutes on behalf of Global Journals.
- The Fellow can become member of Editorial Board Member after completing 3yrs.
- The Fellow can earn 60% of sales proceeds from the sale of reference/review books/literature/publishing of research paper.
- Fellow can also join as paid peer reviewer and earn 15% remuneration of author charges and can also get an opportunity to join as member of the Editorial Board of Global Journals Incorporation (USA)
- • This individual has learned the basic methods of applying those concepts and techniques to common challenging situations. This individual has further demonstrated an in-depth understanding of the application of suitable techniques to a particular area of research practice.

Note :

“

- In future, if the board feels the necessity to change any board member, the same can be done with the consent of the chairperson along with anyone board member without our approval.
- In case, the chairperson needs to be replaced then consent of 2/3rd board members are required and they are also required to jointly pass the resolution copy of which should be sent to us. In such case, it will be compulsory to obtain our approval before replacement.
- In case of “Difference of Opinion [if any]” among the Board members, our decision will be final and binding to everyone.

”



PROCESS OF SUBMISSION OF RESEARCH PAPER

The Area or field of specialization may or may not be of any category as mentioned in 'Scope of Journal' menu of the GlobalJournals.org website. There are 37 Research Journal categorized with Six parental Journals GJCST, GJMR, GJRE, GJMBR, GJSFR, GJHSS. For Authors should prefer the mentioned categories. There are three widely used systems UDC, DDC and LCC. The details are available as 'Knowledge Abstract' at Home page. The major advantage of this coding is that, the research work will be exposed to and shared with all over the world as we are being abstracted and indexed worldwide.

The paper should be in proper format. The format can be downloaded from first page of 'Author Guideline' Menu. The Author is expected to follow the general rules as mentioned in this menu. The paper should be written in MS-Word Format (*.DOC,*.DOCX).

The Author can submit the paper either online or offline. The authors should prefer online submission.Online Submission: There are three ways to submit your paper:

(A) (I) First, register yourself using top right corner of Home page then Login. If you are already registered, then login using your username and password.

(II) Choose corresponding Journal.

(III) Click 'Submit Manuscript'. Fill required information and Upload the paper.

(B) If you are using Internet Explorer, then Direct Submission through Homepage is also available.

(C) If these two are not convenient, and then email the paper directly to dean@globaljournals.org.

Offline Submission: Author can send the typed form of paper by Post. However, online submission should be preferred.



PREFERRED AUTHOR GUIDELINES

MANUSCRIPT STYLE INSTRUCTION (Must be strictly followed)

Page Size: 8.27" X 11"

- Left Margin: 0.65
- Right Margin: 0.65
- Top Margin: 0.75
- Bottom Margin: 0.75
- Font type of all text should be Swis 721 Lt BT.
- Paper Title should be of Font Size 24 with one Column section.
- Author Name in Font Size of 11 with one column as of Title.
- Abstract Font size of 9 Bold, "Abstract" word in Italic Bold.
- Main Text: Font size 10 with justified two columns section
- Two Column with Equal Column with of 3.38 and Gaping of .2
- First Character must be three lines Drop capped.
- Paragraph before Spacing of 1 pt and After of 0 pt.
- Line Spacing of 1 pt
- Large Images must be in One Column
- Numbering of First Main Headings (Heading 1) must be in Roman Letters, Capital Letter, and Font Size of 10.
- Numbering of Second Main Headings (Heading 2) must be in Alphabets, Italic, and Font Size of 10.

You can use your own standard format also.

Author Guidelines:

1. General,
2. Ethical Guidelines,
3. Submission of Manuscripts,
4. Manuscript's Category,
5. Structure and Format of Manuscript,
6. After Acceptance.

1. GENERAL

Before submitting your research paper, one is advised to go through the details as mentioned in following heads. It will be beneficial, while peer reviewer justify your paper for publication.

Scope

The Global Journals Inc. (US) welcome the submission of original paper, review paper, survey article relevant to the all the streams of Philosophy and knowledge. The Global Journals Inc. (US) is parental platform for Global Journal of Computer Science and Technology, Researches in Engineering, Medical Research, Science Frontier Research, Human Social Science, Management, and Business organization. The choice of specific field can be done otherwise as following in Abstracting and Indexing Page on this Website. As the all Global

Journals Inc. (US) are being abstracted and indexed (in process) by most of the reputed organizations. Topics of only narrow interest will not be accepted unless they have wider potential or consequences.

2. ETHICAL GUIDELINES

Authors should follow the ethical guidelines as mentioned below for publication of research paper and research activities.

Papers are accepted on strict understanding that the material in whole or in part has not been, nor is being, considered for publication elsewhere. If the paper once accepted by Global Journals Inc. (US) and Editorial Board, will become the copyright of the Global Journals Inc. (US).

Authorship: The authors and coauthors should have active contribution to conception design, analysis and interpretation of findings. They should critically review the contents and drafting of the paper. All should approve the final version of the paper before submission

The Global Journals Inc. (US) follows the definition of authorship set up by the Global Academy of Research and Development. According to the Global Academy of R&D authorship, criteria must be based on:

- 1) Substantial contributions to conception and acquisition of data, analysis and interpretation of the findings.
- 2) Drafting the paper and revising it critically regarding important academic content.
- 3) Final approval of the version of the paper to be published.

All authors should have been credited according to their appropriate contribution in research activity and preparing paper. Contributors who do not match the criteria as authors may be mentioned under Acknowledgement.

Acknowledgements: Contributors to the research other than authors credited should be mentioned under acknowledgement. The specifications of the source of funding for the research if appropriate can be included. Suppliers of resources may be mentioned along with address.

Appeal of Decision: The Editorial Board's decision on publication of the paper is final and cannot be appealed elsewhere.

Permissions: It is the author's responsibility to have prior permission if all or parts of earlier published illustrations are used in this paper.

Please mention proper reference and appropriate acknowledgements wherever expected.

If all or parts of previously published illustrations are used, permission must be taken from the copyright holder concerned. It is the author's responsibility to take these in writing.

Approval for reproduction/modification of any information (including figures and tables) published elsewhere must be obtained by the authors/copyright holders before submission of the manuscript. Contributors (Authors) are responsible for any copyright fee involved.

3. SUBMISSION OF MANUSCRIPTS

Manuscripts should be uploaded via this online submission page. The online submission is most efficient method for submission of papers, as it enables rapid distribution of manuscripts and consequently speeds up the review procedure. It also enables authors to know the status of their own manuscripts by emailing us. Complete instructions for submitting a paper is available below.

Manuscript submission is a systematic procedure and little preparation is required beyond having all parts of your manuscript in a given format and a computer with an Internet connection and a Web browser. Full help and instructions are provided on-screen. As an author, you will be prompted for login and manuscript details as Field of Paper and then to upload your manuscript file(s) according to the instructions.



To avoid postal delays, all transaction is preferred by e-mail. A finished manuscript submission is confirmed by e-mail immediately and your paper enters the editorial process with no postal delays. When a conclusion is made about the publication of your paper by our Editorial Board, revisions can be submitted online with the same procedure, with an occasion to view and respond to all comments.

Complete support for both authors and co-author is provided.

4. MANUSCRIPT'S CATEGORY

Based on potential and nature, the manuscript can be categorized under the following heads:

Original research paper: Such papers are reports of high-level significant original research work.

Review papers: These are concise, significant but helpful and decisive topics for young researchers.

Research articles: These are handled with small investigation and applications.

Research letters: The letters are small and concise comments on previously published matters.


5. STRUCTURE AND FORMAT OF MANUSCRIPT

The recommended size of original research paper is less than seven thousand words, review papers fewer than seven thousands words also. Preparation of research paper or how to write research paper, are major hurdle, while writing manuscript. The research articles and research letters should be fewer than three thousand words, the structure original research paper; sometime review paper should be as follows:

Papers: These are reports of significant research (typically less than 7000 words equivalent, including tables, figures, references), and comprise:

- (a) Title should be relevant and commensurate with the theme of the paper.
- (b) A brief Summary, "Abstract" (less than 150 words) containing the major results and conclusions.
- (c) Up to ten keywords, that precisely identifies the paper's subject, purpose, and focus.
- (d) An Introduction, giving necessary background excluding subheadings; objectives must be clearly declared.
- (e) Resources and techniques with sufficient complete experimental details (wherever possible by reference) to permit repetition; sources of information must be given and numerical methods must be specified by reference, unless non-standard.
- (f) Results should be presented concisely, by well-designed tables and/or figures; the same data may not be used in both; suitable statistical data should be given. All data must be obtained with attention to numerical detail in the planning stage. As reproduced design has been recognized to be important to experiments for a considerable time, the Editor has decided that any paper that appears not to have adequate numerical treatments of the data will be returned un-refereed;
- (g) Discussion should cover the implications and consequences, not just recapitulating the results; conclusions should be summarizing.
- (h) Brief Acknowledgements.
- (i) References in the proper form.

Authors should very cautiously consider the preparation of papers to ensure that they communicate efficiently. Papers are much more likely to be accepted, if they are cautiously designed and laid out, contain few or no errors, are summarizing, and be conventional to the approach and instructions. They will in addition, be published with much less delays than those that require much technical and editorial correction.



The Editorial Board reserves the right to make literary corrections and to make suggestions to improve brevity.

It is vital, that authors take care in submitting a manuscript that is written in simple language and adheres to published guidelines.

Format

Language: The language of publication is UK English. Authors, for whom English is a second language, must have their manuscript efficiently edited by an English-speaking person before submission to make sure that, the English is of high excellence. It is preferable, that manuscripts should be professionally edited.

Standard Usage, Abbreviations, and Units: Spelling and hyphenation should be conventional to The Concise Oxford English Dictionary. Statistics and measurements should at all times be given in figures, e.g. 16 min, except for when the number begins a sentence. When the number does not refer to a unit of measurement it should be spelt in full unless, it is 160 or greater.

Abbreviations supposed to be used carefully. The abbreviated name or expression is supposed to be cited in full at first usage, followed by the conventional abbreviation in parentheses.

Metric SI units are supposed to generally be used excluding where they conflict with current practice or are confusing. For illustration, 1.4 l rather than $1.4 \times 10^{-3} \text{ m}^3$, or 4 mm somewhat than $4 \times 10^{-3} \text{ m}$. Chemical formula and solutions must identify the form used, e.g. anhydrous or hydrated, and the concentration must be in clearly defined units. Common species names should be followed by underlines at the first mention. For following use the generic name should be constricted to a single letter, if it is clear.

Structure

All manuscripts submitted to Global Journals Inc. (US), ought to include:

Title: The title page must carry an instructive title that reflects the content, a running title (less than 45 characters together with spaces), names of the authors and co-authors, and the place(s) wherever the work was carried out. The full postal address in addition with the e-mail address of related author must be given. Up to eleven keywords or very brief phrases have to be given to help data retrieval, mining and indexing.

Abstract, used in Original Papers and Reviews:

Optimizing Abstract for Search Engines

Many researchers searching for information online will use search engines such as Google, Yahoo or similar. By optimizing your paper for search engines, you will amplify the chance of someone finding it. This in turn will make it more likely to be viewed and/or cited in a further work. Global Journals Inc. (US) have compiled these guidelines to facilitate you to maximize the web-friendliness of the most public part of your paper.

Key Words

A major linchpin in research work for the writing research paper is the keyword search, which one will employ to find both library and Internet resources.

One must be persistent and creative in using keywords. An effective keyword search requires a strategy and planning a list of possible keywords and phrases to try.

Search engines for most searches, use Boolean searching, which is somewhat different from Internet searches. The Boolean search uses "operators," words (and, or, not, and near) that enable you to expand or narrow your affords. Tips for research paper while preparing research paper are very helpful guideline of research paper.

Choice of key words is first tool of tips to write research paper. Research paper writing is an art. A few tips for deciding as strategically as possible about keyword search:



- One should start brainstorming lists of possible keywords before even begin searching. Think about the most important concepts related to research work. Ask, "What words would a source have to include to be truly valuable in research paper?" Then consider synonyms for the important words.
- It may take the discovery of only one relevant paper to let steer in the right keyword direction because in most databases, the keywords under which a research paper is abstracted are listed with the paper.
- One should avoid outdated words.

Keywords are the key that opens a door to research work sources. Keyword searching is an art in which researcher's skills are bound to improve with experience and time.

Numerical Methods: Numerical methods used should be clear and, where appropriate, supported by references.

Acknowledgements: Please make these as concise as possible.

References

References follow the Harvard scheme of referencing. References in the text should cite the authors' names followed by the time of their publication, unless there are three or more authors when simply the first author's name is quoted followed by et al. unpublished work has to only be cited where necessary, and only in the text. Copies of references in press in other journals have to be supplied with submitted typescripts. It is necessary that all citations and references be carefully checked before submission, as mistakes or omissions will cause delays.

References to information on the World Wide Web can be given, but only if the information is available without charge to readers on an official site. Wikipedia and Similar websites are not allowed where anyone can change the information. Authors will be asked to make available electronic copies of the cited information for inclusion on the Global Journals Inc. (US) homepage at the judgment of the Editorial Board.

The Editorial Board and Global Journals Inc. (US) recommend that, citation of online-published papers and other material should be done via a DOI (digital object identifier). If an author cites anything, which does not have a DOI, they run the risk of the cited material not being noticeable.

The Editorial Board and Global Journals Inc. (US) recommend the use of a tool such as Reference Manager for reference management and formatting.

Tables, Figures and Figure Legends

Tables: Tables should be few in number, cautiously designed, uncrowned, and include only essential data. Each must have an Arabic number, e.g. Table 4, a self-explanatory caption and be on a separate sheet. Vertical lines should not be used.

Figures: Figures are supposed to be submitted as separate files. Always take in a citation in the text for each figure using Arabic numbers, e.g. Fig. 4. Artwork must be submitted online in electronic form by e-mailing them.

Preparation of Electronic Figures for Publication

Even though low quality images are sufficient for review purposes, print publication requires high quality images to prevent the final product being blurred or fuzzy. Submit (or e-mail) EPS (line art) or TIFF (halftone/photographs) files only. MS PowerPoint and Word Graphics are unsuitable for printed pictures. Do not use pixel-oriented software. Scans (TIFF only) should have a resolution of at least 350 dpi (halftone) or 700 to 1100 dpi (line drawings) in relation to the imitation size. Please give the data for figures in black and white or submit a Color Work Agreement Form. EPS files must be saved with fonts embedded (and with a TIFF preview, if possible).

For scanned images, the scanning resolution (at final image size) ought to be as follows to ensure good reproduction: line art: >650 dpi; halftones (including gel photographs) : >350 dpi; figures containing both halftone and line images: >650 dpi.

Color Charges: It is the rule of the Global Journals Inc. (US) for authors to pay the full cost for the reproduction of their color artwork. Hence, please note that, if there is color artwork in your manuscript when it is accepted for publication, we would require you to complete and return a color work agreement form before your paper can be published.




Figure Legends: Self-explanatory legends of all figures should be incorporated separately under the heading 'Legends to Figures'. In the full-text online edition of the journal, figure legends may possibly be truncated in abbreviated links to the full screen version. Therefore, the first 100 characters of any legend should notify the reader, about the key aspects of the figure.

6. AFTER ACCEPTANCE

Upon approval of a paper for publication, the manuscript will be forwarded to the dean, who is responsible for the publication of the Global Journals Inc. (US).

6.1 Proof Corrections

The corresponding author will receive an e-mail alert containing a link to a website or will be attached. A working e-mail address must therefore be provided for the related author.

Acrobat Reader will be required in order to read this file. This software can be downloaded

(Free of charge) from the following website:

www.adobe.com/products/acrobat/readstep2.html. This will facilitate the file to be opened, read on screen, and printed out in order for any corrections to be added. Further instructions will be sent with the proof.

Proofs must be returned to the dean at dean@globaljournals.org within three days of receipt.

As changes to proofs are costly, we inquire that you only correct typesetting errors. All illustrations are retained by the publisher. Please note that the authors are responsible for all statements made in their work, including changes made by the copy editor.

6.2 Early View of Global Journals Inc. (US) (Publication Prior to Print)

The Global Journals Inc. (US) are enclosed by our publishing's Early View service. Early View articles are complete full-text articles sent in advance of their publication. Early View articles are absolute and final. They have been completely reviewed, revised and edited for publication, and the authors' final corrections have been incorporated. Because they are in final form, no changes can be made after sending them. The nature of Early View articles means that they do not yet have volume, issue or page numbers, so Early View articles cannot be cited in the conventional way.

6.3 Author Services

Online production tracking is available for your article through Author Services. Author Services enables authors to track their article - once it has been accepted - through the production process to publication online and in print. Authors can check the status of their articles online and choose to receive automated e-mails at key stages of production. The authors will receive an e-mail with a unique link that enables them to register and have their article automatically added to the system. Please ensure that a complete e-mail address is provided when submitting the manuscript.

6.4 Author Material Archive Policy

Please note that if not specifically requested, publisher will dispose off hardcopy & electronic information submitted, after the two months of publication. If you require the return of any information submitted, please inform the Editorial Board or dean as soon as possible.

6.5 Offprint and Extra Copies

A PDF offprint of the online-published article will be provided free of charge to the related author, and may be distributed according to the Publisher's terms and conditions. Additional paper offprint may be ordered by emailing us at: editor@globaljournals.org.

You must strictly follow above Author Guidelines before submitting your paper or else we will not at all be responsible for any corrections in future in any of the way.



Before start writing a good quality Computer Science Research Paper, let us first understand what is Computer Science Research Paper? So, Computer Science Research Paper is the paper which is written by professionals or scientists who are associated to Computer Science and Information Technology, or doing research study in these areas. If you are novel to this field then you can consult about this field from your supervisor or guide.

TECHNIQUES FOR WRITING A GOOD QUALITY RESEARCH PAPER:

1. Choosing the topic: In most cases, the topic is searched by the interest of author but it can be also suggested by the guides. You can have several topics and then you can judge that in which topic or subject you are finding yourself most comfortable. This can be done by asking several questions to yourself, like Will I be able to carry our search in this area? Will I find all necessary recourses to accomplish the search? Will I be able to find all information in this field area? If the answer of these types of questions will be "Yes" then you can choose that topic. In most of the cases, you may have to conduct the surveys and have to visit several places because this field is related to Computer Science and Information Technology. Also, you may have to do a lot of work to find all rise and falls regarding the various data of that subject. Sometimes, detailed information plays a vital role, instead of short information.

2. Evaluators are human: First thing to remember that evaluators are also human being. They are not only meant for rejecting a paper. They are here to evaluate your paper. So, present your Best.

3. Think Like Evaluators: If you are in a confusion or getting demotivated that your paper will be accepted by evaluators or not, then think and try to evaluate your paper like an Evaluator. Try to understand that what an evaluator wants in your research paper and automatically you will have your answer.

4. Make blueprints of paper: The outline is the plan or framework that will help you to arrange your thoughts. It will make your paper logical. But remember that all points of your outline must be related to the topic you have chosen.

5. Ask your Guides: If you are having any difficulty in your research, then do not hesitate to share your difficulty to your guide (if you have any). They will surely help you out and resolve your doubts. If you can't clarify what exactly you require for your work then ask the supervisor to help you with the alternative. He might also provide you the list of essential readings.

6. Use of computer is recommended: As you are doing research in the field of Computer Science, then this point is quite obvious.

7. Use right software: Always use good quality software packages. If you are not capable to judge good software then you can lose quality of your paper unknowingly. There are various software programs available to help you, which you can get through Internet.

8. Use the Internet for help: An excellent start for your paper can be by using the Google. It is an excellent search engine, where you can have your doubts resolved. You may also read some answers for the frequent question how to write my research paper or find model research paper. From the internet library you can download books. If you have all required books make important reading selecting and analyzing the specified information. Then put together research paper sketch out.

9. Use and get big pictures: Always use encyclopedias, Wikipedia to get pictures so that you can go into the depth.

10. Bookmarks are useful: When you read any book or magazine, you generally use bookmarks, right! It is a good habit, which helps to not to lose your continuity. You should always use bookmarks while searching on Internet also, which will make your search easier.

11. Revise what you wrote: When you write anything, always read it, summarize it and then finalize it.



12. Make all efforts: Make all efforts to mention what you are going to write in your paper. That means always have a good start. Try to mention everything in introduction, that what is the need of a particular research paper. Polish your work by good skill of writing and always give an evaluator, what he wants.

13. Have backups: When you are going to do any important thing like making research paper, you should always have backup copies of it either in your computer or in paper. This will help you to not to lose any of your important.

14. Produce good diagrams of your own: Always try to include good charts or diagrams in your paper to improve quality. Using several and unnecessary diagrams will degrade the quality of your paper by creating "hotchpotch." So always, try to make and include those diagrams, which are made by your own to improve readability and understandability of your paper.

15. Use of direct quotes: When you do research relevant to literature, history or current affairs then use of quotes become essential but if study is relevant to science then use of quotes is not preferable.

16. Use proper verb tense: Use proper verb tenses in your paper. Use past tense, to present those events that happened. Use present tense to indicate events that are going on. Use future tense to indicate future happening events. Use of improper and wrong tenses will confuse the evaluator. Avoid the sentences that are incomplete.

17. Never use online paper: If you are getting any paper on Internet, then never use it as your research paper because it might be possible that evaluator has already seen it or maybe it is outdated version.

18. Pick a good study spot: To do your research studies always try to pick a spot, which is quiet. Every spot is not for studies. Spot that suits you choose it and proceed further.

19. Know what you know: Always try to know, what you know by making objectives. Else, you will be confused and cannot achieve your target.

20. Use good quality grammar: Always use a good quality grammar and use words that will throw positive impact on evaluator. Use of good quality grammar does not mean to use tough words, that for each word the evaluator has to go through dictionary. Do not start sentence with a conjunction. Do not fragment sentences. Eliminate one-word sentences. Ignore passive voice. Do not ever use a big word when a diminutive one would suffice. Verbs have to be in agreement with their subjects. Prepositions are not expressions to finish sentences with. It is incorrect to ever divide an infinitive. Avoid clichés like the disease. Also, always shun irritating alliteration. Use language that is simple and straight forward. put together a neat summary.

21. Arrangement of information: Each section of the main body should start with an opening sentence and there should be a changeover at the end of the section. Give only valid and powerful arguments to your topic. You may also maintain your arguments with records.

22. Never start in last minute: Always start at right time and give enough time to research work. Leaving everything to the last minute will degrade your paper and spoil your work.

23. Multitasking in research is not good: Doing several things at the same time proves bad habit in case of research activity. Research is an area, where everything has a particular time slot. Divide your research work in parts and do particular part in particular time slot.

24. Never copy others' work: Never copy others' work and give it your name because if evaluator has seen it anywhere you will be in trouble.

25. Take proper rest and food: No matter how many hours you spend for your research activity, if you are not taking care of your health then all your efforts will be in vain. For a quality research, study is must, and this can be done by taking proper rest and food.

26. Go for seminars: Attend seminars if the topic is relevant to your research area. Utilize all your resources.



27. Refresh your mind after intervals: Try to give rest to your mind by listening to soft music or by sleeping in intervals. This will also improve your memory.

28. Make colleagues: Always try to make colleagues. No matter how sharper or intelligent you are, if you make colleagues you can have several ideas, which will be helpful for your research.

29. Think technically: Always think technically. If anything happens, then search its reasons, its benefits, and demerits.

30. Think and then print: When you will go to print your paper, notice that tables are not be split, headings are not detached from their descriptions, and page sequence is maintained.

31. Adding unnecessary information: Do not add unnecessary information, like, I have used MS Excel to draw graph. Do not add irrelevant and inappropriate material. These all will create superfluous. Foreign terminology and phrases are not apropos. One should NEVER take a broad view. Analogy in script is like feathers on a snake. Not at all use a large word when a very small one would be sufficient. Use words properly, regardless of how others use them. Remove quotations. Puns are for kids, not grunt readers. Amplification is a billion times of inferior quality than sarcasm.

32. Never oversimplify everything: To add material in your research paper, never go for oversimplification. This will definitely irritate the evaluator. Be more or less specific. Also too, by no means, ever use rhythmic redundancies. Contractions aren't essential and shouldn't be there used. Comparisons are as terrible as clichés. Give up ampersands and abbreviations, and so on. Remove commas, that are, not necessary. Parenthetical words however should be together with this in commas. Understatement is all the time the complete best way to put onward earth-shaking thoughts. Give a detailed literary review.

33. Report concluded results: Use concluded results. From raw data, filter the results and then conclude your studies based on measurements and observations taken. Significant figures and appropriate number of decimal places should be used. Parenthetical remarks are prohibitive. Proofread carefully at final stage. In the end give outline to your arguments. Spot out perspectives of further study of this subject. Justify your conclusion by at the bottom of them with sufficient justifications and examples.

34. After conclusion: Once you have concluded your research, the next most important step is to present your findings. Presentation is extremely important as it is the definite medium though which your research is going to be in print to the rest of the crowd. Care should be taken to categorize your thoughts well and present them in a logical and neat manner. A good quality research paper format is essential because it serves to highlight your research paper and bring to light all necessary aspects in your research.

INFORMAL GUIDELINES OF RESEARCH PAPER WRITING

Key points to remember:

- Submit all work in its final form.
- Write your paper in the form, which is presented in the guidelines using the template.
- Please note the criterion for grading the final paper by peer-reviewers.

Final Points:

A purpose of organizing a research paper is to let people to interpret your effort selectively. The journal requires the following sections, submitted in the order listed, each section to start on a new page.

The introduction will be compiled from reference matter and will reflect the design processes or outline of basis that direct you to make study. As you will carry out the process of study, the method and process section will be constructed as like that. The result segment will show related statistics in nearly sequential order and will direct the reviewers next to the similar intellectual paths throughout the data that you took to carry out your study. The discussion section will provide understanding of the data and projections as to the implication of the results. The use of good quality references all through the paper will give the effort trustworthiness by representing an alertness of prior workings.



Writing a research paper is not an easy job no matter how trouble-free the actual research or concept. Practice, excellent preparation, and controlled record keeping are the only means to make straightforward the progression.

General style:

Specific editorial column necessities for compliance of a manuscript will always take over from directions in these general guidelines.

To make a paper clear

- Adhere to recommended page limits

Mistakes to evade

- Insertion a title at the foot of a page with the subsequent text on the next page
- Separating a table/chart or figure - impound each figure/table to a single page
- Submitting a manuscript with pages out of sequence

In every sections of your document

- Use standard writing style including articles ("a", "the," etc.)
- Keep on paying attention on the research topic of the paper
- Use paragraphs to split each significant point (excluding for the abstract)
- Align the primary line of each section
- Present your points in sound order
- Use present tense to report well accepted
- Use past tense to describe specific results
- Shun familiar wording, don't address the reviewer directly, and don't use slang, slang language, or superlatives
- Shun use of extra pictures - include only those figures essential to presenting results

Title Page:

Choose a revealing title. It should be short. It should not have non-standard acronyms or abbreviations. It should not exceed two printed lines. It should include the name(s) and address (es) of all authors.



Abstract:

The summary should be two hundred words or less. It should briefly and clearly explain the key findings reported in the manuscript-- must have precise statistics. It should not have abnormal acronyms or abbreviations. It should be logical in itself. Shun citing references at this point.

An abstract is a brief distinct paragraph summary of finished work or work in development. In a minute or less a reviewer can be taught the foundation behind the study, common approach to the problem, relevant results, and significant conclusions or new questions.

Write your summary when your paper is completed because how can you write the summary of anything which is not yet written? Wealth of terminology is very essential in abstract. Yet, use comprehensive sentences and do not let go readability for briefness. You can maintain it succinct by phrasing sentences so that they provide more than lone rationale. The author can at this moment go straight to shortening the outcome. Sum up the study, with the subsequent elements in any summary. Try to maintain the initial two items to no more than one ruling each.

- Reason of the study - theory, overall issue, purpose
- Fundamental goal
- To the point depiction of the research
- Consequences, including definite statistics - if the consequences are quantitative in nature, account quantitative data; results of any numerical analysis should be reported
- Significant conclusions or questions that track from the research(es)

Approach:

- Single section, and succinct
- As an outline of job done, it is always written in past tense
- A conceptual should situate on its own, and not submit to any other part of the paper such as a form or table
- Center on shortening results - bound background information to a verdict or two, if completely necessary
- What you account in an conceptual must be regular with what you reported in the manuscript
- Exact spelling, clearness of sentences and phrases, and appropriate reporting of quantities (proper units, important statistics) are just as significant in an abstract as they are anywhere else

Introduction:

The **Introduction** should "introduce" the manuscript. The reviewer should be presented with sufficient background information to be capable to comprehend and calculate the purpose of your study without having to submit to other works. The basis for the study should be offered. Give most important references but shun difficult to make a comprehensive appraisal of the topic. In the introduction, describe the problem visibly. If the problem is not acknowledged in a logical, reasonable way, the reviewer will have no attention in your result. Speak in common terms about techniques used to explain the problem, if needed, but do not present any particulars about the protocols here. Following approach can create a valuable beginning:

- Explain the value (significance) of the study
- Shield the model - why did you employ this particular system or method? What is its compensation? You strength remark on its appropriateness from an abstract point of vision as well as point out sensible reasons for using it.
- Present a justification. Status your particular theory (es) or aim(s), and describe the logic that led you to choose them.
- Very for a short time explain the tentative propose and how it skilled the declared objectives.

Approach:

- Use past tense except for when referring to recognized facts. After all, the manuscript will be submitted after the entire job is done.
- Sort out your thoughts; manufacture one key point with every section. If you make the four points listed above, you will need a least of four paragraphs.



- Present surroundings information only as desirable in order hold up a situation. The reviewer does not desire to read the whole thing you know about a topic.
- Shape the theory/purpose specifically - do not take a broad view.
- As always, give awareness to spelling, simplicity and correctness of sentences and phrases.

Procedures (Methods and Materials):

This part is supposed to be the easiest to carve if you have good skills. A sound written Procedures segment allows a capable scientist to replacement your results. Present precise information about your supplies. The suppliers and clarity of reagents can be helpful bits of information. Present methods in sequential order but linked methodologies can be grouped as a segment. Be concise when relating the protocols. Attempt for the least amount of information that would permit another capable scientist to spare your outcome but be cautious that vital information is integrated. The use of subheadings is suggested and ought to be synchronized with the results section. When a technique is used that has been well described in another object, mention the specific item describing a way but draw the basic principle while stating the situation. The purpose is to text all particular resources and broad procedures, so that another person may use some or all of the methods in one more study or referee the scientific value of your work. It is not to be a step by step report of the whole thing you did, nor is a methods section a set of orders.

Materials:

- Explain materials individually only if the study is so complex that it saves liberty this way.
- Embrace particular materials, and any tools or provisions that are not frequently found in laboratories.
- Do not take in frequently found.
- If use of a definite type of tools.
- Materials may be reported in a part section or else they may be recognized along with your measures.

Methods:

- Report the method (not particulars of each process that engaged the same methodology)
- Describe the method entirely
- To be succinct, present methods under headings dedicated to specific dealings or groups of measures
- Simplify - details how procedures were completed not how they were exclusively performed on a particular day.
- If well known procedures were used, account the procedure by name, possibly with reference, and that's all.

Approach:

- It is embarrassed or not possible to use vigorous voice when documenting methods with no using first person, which would focus the reviewer's interest on the researcher rather than the job. As a result when script up the methods most authors use third person passive voice.
- Use standard style in this and in every other part of the paper - avoid familiar lists, and use full sentences.

What to keep away from

- Resources and methods are not a set of information.
- Skip all descriptive information and surroundings - save it for the argument.
- Leave out information that is immaterial to a third party.

Results:

The principle of a results segment is to present and demonstrate your conclusion. Create this part a entirely objective details of the outcome, and save all understanding for the discussion.

The page length of this segment is set by the sum and types of data to be reported. Carry on to be to the point, by means of statistics and tables, if suitable, to present consequences most efficiently. You must obviously differentiate material that would usually be incorporated in a study editorial from any unprocessed data or additional appendix matter that would not be available. In fact, such matter should not be submitted at all except requested by the instructor.



Content

- Sum up your conclusion in text and demonstrate them, if suitable, with figures and tables.
- In manuscript, explain each of your consequences, point the reader to remarks that are most appropriate.
- Present a background, such as by describing the question that was addressed by creation an exacting study.
- Explain results of control experiments and comprise remarks that are not accessible in a prescribed figure or table, if appropriate.
- Examine your data, then prepare the analyzed (transformed) data in the form of a figure (graph), table, or in manuscript form.

What to stay away from

- Do not discuss or infer your outcome, report surroundings information, or try to explain anything.
- Not at all, take in raw data or intermediate calculations in a research manuscript.
- Do not present the similar data more than once.
- Manuscript should complement any figures or tables, not duplicate the identical information.
- Never confuse figures with tables - there is a difference.

Approach

- As forever, use past tense when you submit to your results, and put the whole thing in a reasonable order.
- Put figures and tables, appropriately numbered, in order at the end of the report
- If you desire, you may place your figures and tables properly within the text of your results part.

Figures and tables

- If you put figures and tables at the end of the details, make certain that they are visibly distinguished from any attach appendix materials, such as raw facts
- Despite of position, each figure must be numbered one after the other and complete with subtitle
- In spite of position, each table must be titled, numbered one after the other and complete with heading
- All figure and table must be adequately complete that it could situate on its own, divide from text

Discussion:

The Discussion is expected the trickiest segment to write and describe. A lot of papers submitted for journal are discarded based on problems with the Discussion. There is no head of state for how long a argument should be. Position your understanding of the outcome visibly to lead the reviewer through your conclusions, and then finish the paper with a summing up of the implication of the study. The purpose here is to offer an understanding of your results and hold up for all of your conclusions, using facts from your research and generally accepted information, if suitable. The implication of result should be visibly described. Infer your data in the conversation in suitable depth. This means that when you clarify an observable fact you must explain mechanisms that may account for the observation. If your results vary from your prospect, make clear why that may have happened. If your results agree, then explain the theory that the proof supported. It is never suitable to just state that the data approved with prospect, and let it drop at that.

- Make a decision if each premise is supported, discarded, or if you cannot make a conclusion with assurance. Do not just dismiss a study or part of a study as "uncertain."
- Research papers are not acknowledged if the work is imperfect. Draw what conclusions you can based upon the results that you have, and take care of the study as a finished work
- You may propose future guidelines, such as how the experiment might be personalized to accomplish a new idea.
- Give details all of your remarks as much as possible, focus on mechanisms.
- Make a decision if the tentative design sufficiently addressed the theory, and whether or not it was correctly restricted.
- Try to present substitute explanations if sensible alternatives be present.
- One research will not counter an overall question, so maintain the large picture in mind, where do you go next? The best studies unlock new avenues of study. What questions remain?
- Recommendations for detailed papers will offer supplementary suggestions.

Approach:

- When you refer to information, differentiate data generated by your own studies from available information
- Submit to work done by specific persons (including you) in past tense.
- Submit to generally acknowledged facts and main beliefs in present tense.



THE ADMINISTRATION RULES

Please carefully note down following rules and regulation before submitting your Research Paper to Global Journals Inc. (US):

Segment Draft and Final Research Paper: You have to strictly follow the template of research paper. If it is not done your paper may get rejected.

- The **major constraint** is that you must independently make all content, tables, graphs, and facts that are offered in the paper. You must write each part of the paper wholly on your own. The Peer-reviewers need to identify your own perceptives of the concepts in your own terms. NEVER extract straight from any foundation, and never rephrase someone else's analysis.
- Do not give permission to anyone else to "PROOFREAD" your manuscript.
- **Methods to avoid Plagiarism is applied by us on every paper, if found guilty, you will be blacklisted by all of our collaborated research groups, your institution will be informed for this and strict legal actions will be taken immediately.)**
- To guard yourself and others from possible illegal use please do not permit anyone right to use to your paper and files.



CRITERION FOR GRADING A RESEARCH PAPER (COMPILATION)
BY GLOBAL JOURNALS INC. (US)

Please note that following table is only a Grading of "Paper Compilation" and not on "Performed/Stated Research" whose grading solely depends on Individual Assigned Peer Reviewer and Editorial Board Member. These can be available only on request and after decision of Paper. This report will be the property of Global Journals Inc. (US).

Topics	Grades		
	A-B	C-D	E-F
<i>Abstract</i>	Clear and concise with appropriate content, Correct format. 200 words or below	Unclear summary and no specific data, Incorrect form Above 200 words	No specific data with ambiguous information Above 250 words
<i>Introduction</i>	Containing all background details with clear goal and appropriate details, flow specification, no grammar and spelling mistake, well organized sentence and paragraph, reference cited	Unclear and confusing data, appropriate format, grammar and spelling errors with unorganized matter	Out of place depth and content, hazy format
<i>Methods and Procedures</i>	Clear and to the point with well arranged paragraph, precision and accuracy of facts and figures, well organized subheads	Difficult to comprehend with embarrassed text, too much explanation but completed	Incorrect and unorganized structure with hazy meaning
<i>Result</i>	Well organized, Clear and specific, Correct units with precision, correct data, well structuring of paragraph, no grammar and spelling mistake	Complete and embarrassed text, difficult to comprehend	Irregular format with wrong facts and figures
<i>Discussion</i>	Well organized, meaningful specification, sound conclusion, logical and concise explanation, highly structured paragraph reference cited	Wordy, unclear conclusion, spurious	Conclusion is not cited, unorganized, difficult to comprehend
<i>References</i>	Complete and correct format, well organized	Beside the point, Incomplete	Wrong format and structuring



INDEX

A

Alireza · 15
Asymptotic · 16

C

Christodoulakis · 3
Cocomo · 2

F

Faramarz · 15

J

Jacobson · 9

K

Khoshgoftaar · 21

L

Lavazza · 10

M

Mitchell · 2, 9



save our planet



Global Journal of Computer Science and Technology

Visit us on the Web at www.GlobalJournals.org | www.ComputerResearch.org
or email us at helpdesk@globaljournals.org



ISSN 9754350